-S8920-2-U

WYOMING

VITAL STATISTICS

1986

Wyoming Division of Health and Medical Services

Summary of Wyoming Vital Statistics 1986

Wyoming Division of Health and Medical Services

Vital Records Services

April, 1988

CONTENTS

Page

INTRODUCTION 1
Population by County, 1980-1986 2

DEFINITIONS 3

SUMMARY 5
Birth, Death, Marriage and Divorce Rates, 1960-1986 (graphs) 6
Births, Deaths, Marriages and Divorces by County, 1986 .. 7
Births, Deaths, Infant Deaths, Stillbirths, and Maternal Deaths, Selected Years, 1922-1986..... 8

NATALITY..... 9
Births to Unmarried Mothers by Age, 1980, 1986.....10
Births and Rates by County of Residence, 1982-1986 12
Births by Sex, Race and County of Residence, 1986 13
Births by Age of Mother, Race and County of Residence, 1986 14
Births to Unmarried Mothers by Age of Mother, Race and County of Residence, 1986 15
Low Weight Births by County of Residence, 1982-1986 16
Births by Weight at Birth by County of Residence, 1986 ..17
Births by Live Birth Order by County of Residence, 1986 18
Births by Age of Mother by Live Birth Order, 1986 19
Births by One-Minute by Five Minute Apgar Score, 1986 ...19
Births by Trimester Prenatal Care Began by County of Residence, 1986 20
Births by Age of Mother by Trimester Prenatal Care Began, 1986 21
Births by Education of Mother by Trimester Prenatal Care Began, 1986 21
Births by Education of Mother by County of Residence, 1986 22
Births with Reported Congenital Anomalies, 1982-1986 23
Births by County of Occurrence, Attendant, and Place of Delivery, 1986 24
Birth Travel Patterns, 1986 25
Births by County of Residence and County of Occurrence, 1982-1986 26

MORTALITY.....27
Ten Leading Causes of Death, 1986 27
Leading Causes of Death and Years of Potential Life Lost, 1986 (graph).....28
Leading Causes of Years of Potential Life Lost, 1986 29
Infant Mortality.....31
Leading Causes of Infant Death, 1984-1986.....31
Infant and Neonatal Mortality Rates, 1970-1986 32
Deaths and Rates by County of Residence, 1982-1986 33

Deaths by Sex, Race, Age and County of Residence, 1986 ..34
Deaths by Selected Cause and County of Residence, 1986 ..35
Leading Cause of Death by Age Group, 1986 36
Deaths by Selected Cause and Age, 1986 37
Male Deaths by Selected Cause and Age, 1986 38
Female Deaths by Selected Cause and Age, 1986 39
Deaths by County of Residence and County of Occurrence, 1982-1986 40
Accidental Deaths Occurring in Wyoming by Age and Sex, 1986 41
Infant Deaths by Age and County of Residence, 1986 42
Infant and Neonatal Deaths by County of Residence, 1982-1986 43
Infant Deaths by Selected Cause and Age, 1986 44
Stillbirths by County of Residence, 1982-1986 45

MARRIAGE AND DIVORCE.....47
Marriages and Rates by County of Occurrence, 1982-1986 ..48
Marriages by Month and County of Occurrence, 1986 49
Marriages by Age of Groom and Age of Bride, 1986 50
Marriages by Age and Previous Marital Status of Bride and Groom, 1986 51
Divorces and Annulments with Rates by County of Occurrence, 1982-1986 52
Divorces and Annulments by Duration of Marriage and County of Occurrence, 1986 53
Divorces and Annulments by Number of Children Affected and County of Occurrence, 1986 54

INTRODUCTION

Data in this report have been tabulated from birth, death, stillbirth, marriage, divorce and annulment records filed with Vital Records Services, and from transcripts of records from other states involving the death of a Wyoming resident or a birth to a mother who was a Wyoming resident. Although events are registered in the state in which they take place, the exchange of records between states allows the compilation of birth, death and stillbirth statistics by state and county of residence. Most of the birth and death information included here is by place of residence. Headings of individual tables specify resident or occurrence data. Marriage and divorce data are limited to Wyoming occurrences.

Tables include all events for which records were received in this office by April 15 of the year following the event. The number of events not included is small, and counts can be considered relatively complete.

Caution should be used in the interpretation of vital statistics rates which are based on a small population, or a small number of events. This is especially important when dealing with county rates. One or two events can make a substantial difference in these rates, causing them to vary considerably from year to year. For this reason some rates have been calculated for three or five year periods.

National rates quoted in this report were taken from the "National Center for Health Statistics Monthly Vital Statistics Reports". National natality data and mortality data for 1986 are provisional.

Population estimates used in this report for 1981 through 1986 were developed by the Division of Research and Statistics, Department of Administration and Fiscal Control, State of Wyoming.[1] Estimates are revised annually. Thus, population based rates for past years in this report may differ from those previously published.

It should be noted that Wyoming's population is in general younger than that of the nation as a whole. Also there is a wide variation in the age of the population from county to county within the state. These differences in age structure must be taken into account when comparing crude vital statistics rates. Younger populations will tend to have higher crude birth rates and lower crude death rates than older populations. It is necessary to compare age-specific or age-adjusted rates in order to eliminate this effect.

This report does not include all available tabulations. Additional data will be furnished upon request to Vital Records Services, Hathaway Building, Cheyenne, WY 82002.

---

[1]Wyoming Population and Employment Forecast Report, 10th Edition.

Population by County
Wyoming 1980 - 1986*

Residence	1980	1981	1982	1983	1984	1985	1986
Wyoming	469,557	490,046	497,297	498,175	500,943	504,740	492,191
Albany	29,062	29,329	30,016	30,767	30,860	30,883	30,641
Big Horn	11,896	12,029	12,641	12,291	12,086	11,832	11,310
Campbell	24,367	30,893	31,875	31,509	32,116	34,195	30,983
Carbon	21,896	21,353	20,906	20,209	19,782	18,580	17,730
Converse	14,069	13,907	13,529	12,894	13,102	13,307	12,909
Crook	5,308	5,382	5,597	5,676	5,758	5,840	5,875
Fremont	38,992	38,907	39,636	40,359	39,900	37,512	36,026
Goshen	12,040	12,125	12,215	12,507	12,773	13,098	13,203
Hot Springs	5,710	5,610	5,777	5,917	6,074	6,108	5,967
Johnson	6,700	6,748	6,948	6,997	7,045	7,061	6,757
Laramie	68,649	69,675	70,433	70,740	71,153	71,293	71,893
Lincoln	12,177	12,866	13,216	13,527	14,687	17,730	18,121
Natrona	71,856	75,992	75,552	75,096	75,024	72,449	67,156
Niobrara	2,924	3,129	3,218	3,336	3,356	3,339	3,216
Park	21,639	22,169	23,035	23,431	23,940	23,894	23,237
Platte	11,975	10,835	9,896	9,975	10,024	9,898	9,791
Sheridan	25,048	25,690	26,123	27,299	27,523	26,420	25,351
Sublette	4,548	4,622	4,973	5,032	5,081	7,080	7,246
Sweetwater	41,723	45,008	45,068	41,952	40,901	43,730	44,467
Teton	9,355	9,504	9,814	10,323	10,426	10,797	11,105
Uinta	13,021	16,751	19,312	20,447	21,114	21,594	21,560
Washakie	9,496	9,663	9,798	10,070	10,300	10,442	10,226
Weston	7,106	7,852	7,708	7,809	7,907	7,647	7,408

*Census enumerations are used for 1980. Estimates for 1981-1986 were developed by the Wyoming Department of Administration and Fiscal Control, Division of Research and Statistics.

DEFINITIONS

RESIDENCE DATA - data compiled on the basis of the place of residence of the decedent (deaths), or the place of residence of the child's mother (births, stillbirths).

OCCURRENCE DATA - data compiled on the basis of where the event actually occurred, regardless of the person's place of residence.

LIVE BIRTH - a birth that shows any sign of life after delivery.

LOW BIRTHWEIGHT - less than 2500 grams or 5 lbs. 8 oz.

INFANT DEATH - death of a live born infant under one year of age.

NEONATAL DEATH - death of a live born infant under 28 days old.

MATERNAL DEATH - death of a mother caused by complications of pregnancy, childbirth or the puerperium.

STILLBIRTH (FETAL DEATH) - death taking place after 20 weeks gestation and before birth.

(CRUDE) BIRTH RATE - number of live births per 1,000 population.

$$\frac{\text{live births}}{\text{total population}} \times 1{,}000$$

FERTILITY RATE - total number of live births per 1,000 women 15 - 44 years of age.

$$\frac{\text{live births}}{\text{females 15 - 44}} \times 1{,}000$$

OUT-OF-WEDLOCK RATIO - number of live births to unmarried women per 1,000 live births.

$$\frac{\text{live births to unmarried women}}{\text{live births}} \times 1{,}000$$

(CRUDE) DEATH RATE - number of deaths per 1,000 population.

$$\frac{\text{deaths}}{\text{total population}} \times 1{,}000$$

CAUSE-SPECIFIC DEATH RATE - number of deaths from a specific cause per 100,000 population.

$$\frac{\text{deaths from cause}}{\text{total population}} \times 100{,}000$$

INFANT MORTALITY RATE - number of infant deaths per 1,000 live births.

$$\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000$$

NEONATAL MORTALITY RATE - number of neonatal deaths per 1,000 live births.

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000$$

MATERNAL MORTALITY RATE - number of maternal deaths per 10,000 live births.

$$\frac{\text{maternal deaths}}{\text{live births}} \times 10{,}000$$

STILLBIRTH RATIO - number of stillbirths per 1,000 live births.

$$\frac{\text{stillbirths}}{\text{live births}} \times 1{,}000$$

MARRIAGE RATE - number of marriages per 1,000 population.

$$\frac{\text{marriages}}{\text{total population}} \times 1{,}000$$

DIVORCE AND ANNULMENT RATE - number of divorces and annulments per 1,000 population.

$$\frac{\text{divorces \& annulments}}{\text{total population}} \times 1{,}000$$

Summary

SUMMARY

BIRTHS	Numbers of births to Wyoming residents fell by 7.7% from 9,358 in 1985 to 8,633 in 1986. The birth rate fell from 18.5 to 17.5. It has decreased by over 20% since 1982.
AGE OF MOTHERS	The birth rate of teenagers (15-19) continued to fall, reaching 48.9 in 1986. The median age of mothers rose from 25.7 to 25.9 years.
UNMARRIED MOTHERS	The ratio of births to unmarried mothers per 1,000 total births was 138.7. This ratio has increased each year since 1980 when it was 82.2.
LOW BIRTHWEIGHT	There were 587 low weight births, 6.8% of the total resident births. This was down from 7.0% in 1985.
DEATHS	Resident deaths fell from 3,286 to 3,217 in 1986. Due to a small decrease in the estimated population the crude death rate remained constant at 6.5.
LEADING CAUSES	Wyoming's crude death rates exceeded national ones for only three of the ten leading causes of death. The death rate for accidents was 25.4% higher than the U.S., that due to chronic obstructive pulmonary disease was 14.4% higher and the suicide rate was 53.4% above the national rate.
INFANT DEATHS	The state infant mortality rate which had recorded substantial increases the previous two years fell from 12.2 to 10.9 in 1986. Both the neonatal and postneonatal components of the rate decreased.
MARRIAGES	The number and rate of marriages performed in the state continued to decline in 1986. There were 5,209 marriages performed, 176 less than in 1985. The rate fell to 10.6, the lowest recorded since 1963.
DIVORCES	The number of divorces granted in the state fell from 3,807 in 1985 to 3,536 in 1986. The rate dropped from 7.5 to 7.2, but remained 50% higher than the national rate.

Birth, Death, Marriage & Divorce Rates

Wyoming and US, 1960 – 1986

Birth



Death



Marriage



Divorce



Births, Deaths, Marriages, and Divorces by County*
Wyoming, 1986

County	Births		Deaths		Marriages		Divorces	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Wyoming	8,633	17.5	3,217	6.5	5,209	10.6	3,536	7.2
Albany	490	16.0	149	4.9	283	9.2	193	6.3
Big Horn	175	15.5	148	13.1	76	6.7	53	4.7
Campbell	709	22.9	121	3.9	290	9.4	239	7.7
Carbon	277	15.6	122	6.9	176	9.9	126	7.1
Converse	202	15.6	89	6.9	134	10.4	81	6.3
Crook	111	18.9	38	6.5	59	10.0	26	4.4
Fremont	625	17.3	255	7.1	390	10.8	252	7.0
Goshen	176	13.3	139	10.5	156	11.8	77	5.8
Hot Springs	84	14.1	60	10.1	41	6.9	46	7.7
Johnson	94	13.9	77	11.4	66	9.8	39	5.8
Laramie	1,346	18.7	526	7.3	920	12.8	603	8.4
Lincoln	310	17.1	93	5.1	104	5.7	86	4.7
Natrona	1,173	17.5	403	6.0	696	10.4	656	9.8
Niobrara	37	11.5	29	9.0	20	6.2	12	3.7
Park	395	17.0	161	6.9	276	11.9	114	4.9
Platte	136	13.9	89	9.1	92	9.4	56	5.7
Sheridan	364	14.4	218	8.6	265	10.5	165	6.5
Sublette	92	12.7	37	5.1	84	11.6	34	4.7
Sweetwater	888	20.0	201	4.5	329	7.4	308	6.9
Teton	205	18.5	47	4.2	408	36.7	76	6.8
Uinta	490	22.7	85	3.9	180	8.3	190	8.8
Washakie	132	12.9	69	6.7	84	8.2	59	5.8
Weston	117	15.8	61	8.2	62	8.4	45	6.1
Yellowstone NP	5	--	-	--	18	--	-	--

*Tabulated by county of residence for births and deaths and by county of occurrence for marriages and divorces.

Births, Deaths, Infant Deaths, Stillbirths, and Maternal Deaths
Wyoming, Selected Years, 1922-1986*

Year	Estimated Population**	Births		Deaths		Infant Deaths		Stillbirths		Maternal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate
1922	207,677	5,188	25.0	1,930	9.3	408	78.6	180	34.7	N/A	N/A
1925	215,991	4,833	22.4	1,896	8.8	309	63.9	146	30.2	46	95.2
1930	225,940	4,471	19.8	2,079	9.2	310	69.3	134	30.0	41	91.7
1935	234,690	4,362	18.6	2,284	9.7	223	51.1	86	19.7	18	41.3
1936	237,639	4,753	20.0	2,401	10.1	274	57.6	68	14.3	24	50.5
1937	241,614	4,530	18.7	2,430	10.1	252	55.6	96	21.2	17	37.5
1938	244,926	4,946	20.2	2,235	9.1	256	51.8	92	18.6	15	30.3
1939	247,524	4,897	19.8	2,207	8.9	223	45.5	86	17.6	17	34.7
1940	250,742	5,060	20.2	2,141	8.5	237	46.8	101	20.0	22	43.5
1941	247,000	5,185	21.0	2,205	8.9	227	43.8	111	21.4	12	23.1
1942	251,000	5,437	21.7	2,134	8.5	249	45.8	105	19.3	13	23.9
1943	247,000	5,688	23.0	2,227	9.0	213	37.4	117	20.6	9	15.8
1944	242,000	5,612	23.2	2,251	9.3	220	39.2	101	18.0	9	16.0
1945	239,000	5,339	22.3	2,206	9.2	217	40.6	91	17.0	7	13.1
1946	254,000	6,188	24.4	2,135	8.4	205	33.1	110	17.8	10	16.2
1947	258,000	7,320	28.4	2,349	9.1	249	34.0	144	19.7	6	8.2
1948	269,000	7,418	27.6	2,385	8.9	293	39.5	124	16.7	8	10.8
1949	277,000	7,490	27.0	2,385	8.6	280	37.4	124	16.6	3	4.0
1950	292,000	7,606	26.0	2,336	8.0	247	32.5	146	19.2	9	11.8
1951	293,000	8,048	27.5	2,346	8.0	233	29.0	122	15.2	6	7.5
1952	297,000	8,116	27.3	2,503	8.4	262	32.3	116	14.3	2	2.5
1953	295,000	8,760	29.7	2,349	8.0	243	27.7	131	15.0	3	3.4
1954	300,000	8,938	29.8	2,419	8.1	270	30.2	106	11.9	2	2.2
1955	315,000	8,610	27.3	2,453	7.8	242	28.1	108	12.5	4	4.6
1956	321,000	8,389	26.1	2,533	7.9	231	27.5	109	13.0	2	2.4
1957	323,000	8,270	25.6	2,598	8.0	217	26.2	127	15.4	1	1.2
1958	322,000	8,098	25.1	2,528	7.9	225	27.8	125	15.4	3	3.7
1959	325,000	8,189	25.2	2,623	8.1	221	27.0	118	14.4	2	2.4
1960	330,066	8,499	25.7	2,792	8.5	238	28.0	95	11.2	2	2.4
1961	336,000	8,560	25.5	2,635	7.8	230	26.9	111	13.0	1	1.2
1962	332,000	7,984	24.0	2,738	8.2	243	30.4	85	10.6	3	3.8
1963	335,000	7,494	22.4	2,817	8.4	217	29.0	97	12.9	2	2.7
1964	338,000	7,252	21.5	2,842	8.4	209	28.8	91	12.5	2	2.8
1965	330,000	6,534	19.8	2,802	8.5	146	22.3	86	13.2	1	1.5
1966	319,000	5,898	18.5	2,655	8.3	142	24.1	76	12.9	1	1.7
1967	322,000	5,540	17.2	2,763	8.6	130	23.5	83	15.0	4	7.2
1968	324,000	5,750	17.7	2,958	9.1	123	21.4	87	15.1	2	3.5
1969	329,000	6,033	18.3	2,934	8.9	165	27.3	97	16.1	-	-
1970	332,416	6,535	19.7	2,927	8.8	131	20.0	82	12.5	1	1.5
1971	339,284	6,156	18.1	3,048	9.0	152	24.7	72	11.7	-	-
1972	350,112	6,011	17.2	3,038	8.7	131	21.8	65	10.8	1	1.7
1973	358,318	6,059	16.9	3,066	8.6	113	18.6	57	9.4	2	3.3
1974	371,630	6,536	17.6	3,133	8.4	106	16.2	79	12.1	-	-
1975	383,644	6,938	18.1	3,072	8.0	120	17.3	75	10.8	2	2.9
1976	397,965	7,367	18.5	3,158	7.9	121	16.4	65	8.8	1	1.4
1977	427,130	8,276	19.4	3,017	7.1	115	13.9	74	8.9	4	4.8
1978	440,878	8,652	19.6	3,112	7.1	113	13.1	67	7.7	3	3.5
1979	454,949	9,768	21.5	3,063	6.7	129	13.2	65	6.7	-	-
1980	469,557	10,546	22.5	3,215	6.8	104	9.9	81	7.7	1	0.9
1981	490,046	10,839	22.1	3,162	6.5	121	11.2	93	8.6	1	0.9
1982	497,297	11,053	22.2	3,183	6.4	109	9.9	92	8.3	1	0.9
1983	498,175	10,254	20.6	3,155	6.3	101	9.8	72	7.0	-	-
1984	500,943	9,753	19.5	3,180	6.3	108	11.1	73	7.5	1	1.0
1985	504,740	9,358	18.5	3,286	6.5	114	12.2	64	6.8	2	2.1
1986	492,191	8,633	17.5	3,217	6.5	94	10.9	59	6.8	-	-

*Data for 1922-1945 is by place of occurrence, 1946-1986 is by place of residence. Birth and death rates are per 1,000 population. Infant death rates and stillbirth ratios are per 1,000 live births. Maternal death rates are per 10,000 live births.

**Census enumerations are used for years ending with a zero.

Natality

NATALITY

Births to Wyoming residents continued to decline in 1986. There were 8,633 resident births, a 7.7% decrease from the 1985 total of 9,358. Natrona (-225), Campbell (-123), Fremont (-65), and Carbon (-62) counties recorded the largest numerical decreases. A 2.5% decrease in the estimated state population for the year, resulted in a 5.4% decrease in the birth rate. The 1986 rate was 17.5, down from 18.5 in 1985. This was the lowest rate recorded in the state since 1973. The birth rate for the U.S. as a whole was 15.5, down one percent from the previous year.

In 1982 the number of births to Wyoming residents reached an all time high of 11,053. In each succeeding year both the number and rate of births has declined. The state's birth rate has fallen more than 20 percent since 1982. Declining birth rates have been widespread throughout the state with 17 of the 23 counties posting declines of 20 percent or more. The major exceptions were Laramie County's rate which decreased by only 2.6% and rates for Albany and Teton counties which showed slight increases.

The general fertility rate for the state was 77.6 births per 1,000 women aged 15-44. This was down from 81.3 in 1985 and 95.7 in 1982, but was still 19.6% higher than the provisional 1986 U.S. rate of 64.9.

Age of Mother The median age of mothers rose again in 1986 from 25.7 to 25.9. This statistic has increased by over one year since 1982. In 1986, for the first time, there were more births to mothers in the 25-29 age category than the 20-24 category.

The percentages of total births in the 18-19, 20-24 and 25-29 age groups declined. Those in the 30-34 and 35-39 age groups increased, while the under 15, 15-17, 40-44 and 45+ remained nearly constant.

The age specific birth rate for mothers from 15 to 19 declined from 56.7 births per 1,000 females in 1985 to 48.9 in 1986. This rate has decreased by 38% since 1980. The latest year for which a comparable U.S. rate is available is 1985 at which time it was 51.3.

Births to Unmarried Mothers There were 1,197 births to unmarried mothers in 1986. This was down from 1,238 in 1985. Due to the lower number of resident births the ratio of births to unmarried women per 1,000 total births rose by 4.8% from 132.3 in 1985 to 138.7 in 1986. Ratios by age of mother rose in all categories except the 40+. Fremont (217.6), Laramie (170.9) and Natrona (166.2) counties recorded ratios significantly higher than the state as a whole, while Big Horn (57.1), Crook (81.1), Lincoln (77.4), Platte (51.5), Teton (78.0) and Uinta (69.4) had significantly lower ratios.

Births to Unmarried Mothers by Age
Wyoming Residents, 1980 and 1986

Age of Mother	Number		Ratio*		U.S.
	1980	1986	1980	1986	1985
Total	867	1,197	82.2	138.7	220.2
<15	10	11	666.7	1,000.0	918.4
15-17	195	181	373.6	593.4	708.8
18-19	188	239	171.5	391.8	507.2
20-24	321	443	77.4	158.0	263.2
25-29	99	209	31.5	73.8	126.5
30+	54	114	33.3	55.0	101.6

*per 1,000 total births

The state ratio of births to unmarried mothers has increased by 69% since 1980. For age groups from 18 to 29 years ratios have more than doubled. Wyoming's ratio for all races was much lower than that for the U.S. as a whole. But when comparing ratios for white births Wyoming's 1986 ratio (129.5) was only 10% lower than the national ratio (144.7) for 1985.

Low Birthweight Both the number and percentage of infants born under 2500 grams declined in 1986. There were 587 low weight births, 6.8% of the total resident births. This compares to 659 or 7.0% of the 1985 births and is the lowest percentage since 1981 when 6.6% of the births were low weight. Percentages of low birth weight dropped for all age categories of mothers with the exception of a slight increase for mothers from 20 to 24 and a substantial increase for those from 40 to 44.

The state's 1986 percentage was equal to that for the U.S. as a whole for 1985, the latest available year, but when the percentages are examined by race, some differences are revealed.

	Total	White	Black	American Indian
WY 1986	6.8	6.7	12.5	7.2
US 1985	6.8	5.6	12.4	5.9

Although the state's percentages of low birth weight for blacks and American Indians tend to vary due to the small numbers involved, the percentage for white births is consistently among the highest in the nation.

Prenatal Care The percentage of Wyoming resident mothers receiving early prenatal care (beginning in the first trimester) in 1986 was 80.0, up from 79.4 in 1985. There were 3.9% who did not begin care until the third tremester or received no care.

This was down from 4.3% in 1985. The median number of prenatal visits remained constant for the third consecutive year at 11.6. Nationally in 1985 fewer mothers obtained early care, 76%, and 6% delayed care until the third trimester or received no care. The median number of visits for the U.S. was 11.8.

Within the state, residents of Albany (88.9), Natrona (86.6), Sheridan (86.5) and Teton (85.9) counties had significantly higher percentages of early prenatal care than residents of the state as a whole. Residents of Johnson (56.4), Carbon (74.5), Laramie (75.5) and Campbell (75.7) counties had significantly lower percentages.

Place of Birth and Attendant The percentage of births occurring in Wyoming that did not take place in a hospital remained at 1.3% in 1986. Of the 8,005 births occurring in the state, 103 took place outside a hospital. Nationally, 1.0% were born out of hospital.

Physicians attended all but 61 of the state's births, while midwives delivered only 21 infants during the year.

Residence and Occurrence The number of Wyoming resident births occurring in other states increased from 759 in 1985 to 814 in 1986. This was 9.4% of the total resident births. The majority of these births occurred in the bordering states of Utah (341), Colorado (258), Nebraska (80) and South Dakota (64).

Of the 8,005 births occurring in Wyoming 186 or 2.3% were to residents of other states.

Births and Rates
by County of Residence
Wyoming, 1982-1986

Residence	1982		1983		1984		1985		1986	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	15.9	--	15.5	--	15.5	--	15.8	--	15.5
Wyoming	11,053	22.2	10,254	20.6	9,753	19.5	9,358	18.5	8,633	17.5
Albany	478	15.9	526	17.1	433	14.0	504	16.3	490	16.0
Big Horn	272	21.5	233	19.0	219	18.1	193	16.3	175	15.5
Campbell	885	27.8	857	27.2	907	28.2	832	24.3	709	22.9
Carbon	490	23.4	416	20.6	359	18.1	339	18.2	277	15.6
Converse	345	25.5	286	22.2	303	23.1	253	19.0	202	15.6
Crook	136	24.3	134	23.6	127	22.1	113	19.3	111	18.9
Fremont	910	23.0	795	19.7	712	17.8	690	18.4	625	17.3
Goshen	219	17.9	206	16.5	188	14.7	180	13.7	176	13.3
Hot Springs	83	14.4	111	18.8	98	16.1	80	13.1	84	14.1
Johnson	132	19.0	114	16.3	101	14.3	104	14.7	94	13.9
Laramie	1,354	19.2	1,362	19.3	1,375	19.3	1,373	19.3	1,346	18.7
Lincoln	394	29.8	339	25.1	337	22.9	304	17.1	310	17.1
Natrona	1,699	22.5	1,533	20.4	1,420	18.9	1,398	19.3	1,173	17.5
Niobrara	64	19.9	52	15.6	42	12.5	37	11.1	37	11.5
Park	491	21.3	441	18.8	446	18.6	417	17.5	395	17.0
Platte	154	15.6	159	15.9	164	16.4	129	13.0	136	13.9
Sheridan	497	19.0	435	15.9	417	15.2	404	15.3	364	14.4
Sublette	96	19.3	74	14.7	103	20.3	103	14.5	92	12.7
Sweetwater	1,183	26.2	971	23.1	879	21.5	860	19.7	888	20.0
Teton	179	18.2	191	18.5	189	18.1	184	17.0	205	18.5
Uinta	616	31.9	638	31.2	608	28.8	540	25.0	490	22.7
Washakie	197	20.1	185	18.4	159	15.4	177	17.0	132	12.9
Weston	175	22.7	192	24.6	159	20.1	141	18.4	117	15.8
Yellowstone NP	4	--	4	--	8	--	3	--	5	--

Births by Sex, Race,
and County of Residence
Wyoming, 1986

Residence	Total	Sex		Race				
		Male	Female	White	Black	Indian	Other	Unknown
Wyoming	8,633	4,414	4,219	8,164	88	307	65	9
Albany	490	264	226	468	5	6	9	2
Big Horn	175	95	80	173	-	1	1	-
Campbell	709	369	340	696	1	10	2	-
Carbon	277	134	143	265	-	10	2	-
Converse	202	84	118	199	1	2	-	-
Crook	111	50	61	110	-	1	-	-
Fremont	625	332	293	431	-	194	-	-
Goshen	176	93	83	172	-	4	-	-
Hot Springs	84	44	40	82	-	2	-	-
Johnson	94	46	48	92	-	2	-	-
Laramie	1,346	693	653	1,234	60	20	32	-
Lincoln	310	153	157	306	1	-	1	2
Natrona	1,173	605	568	1,146	11	11	4	1
Niobrara	37	25	12	36	-	1	-	-
Park	395	193	202	386	1	7	-	1
Platte	136	65	71	136	-	-	-	-
Sheridan	364	195	169	353	-	7	3	1
Sublette	92	47	45	89	-	2	1	-
Sweetwater	888	442	446	866	7	13	2	-
Teton	205	103	102	202	-	1	2	-
Uinta	490	254	236	477	1	7	3	2
Washakie	132	70	62	127	-	2	3	-
Weston	117	54	63	113	-	4	-	-
Yellowstone NP	5	4	1	5	-	-	-	-

Births by Age of Mother, Race and County of Residence Wyoming, 1986

	Total	Age of Mother										
		<15	15-17	18-19	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
Wyoming	8,633	11	305	610	915	2,803	2,832	1,591	429	51	1	-
Race												
White	8,164	11	282	564	846	2,637	2,688	1,523	407	51	1	-
Black	88	-	8	9	17	36	26	8	1	-	-	-
Indian	307	-	15	33	48	111	99	36	13	-	-	-
Other	65	-	-	4	4	17	18	21	5	-	-	-
Unknown	9	-	-	-	-	2	1	3	3	-	-	-
Residence												
Albany	490	-	11	22	33	144	159	121	31	2	-	-
Big Horn	175	-	8	7	15	55	61	32	10	2	-	-
Campbell	709	-	26	43	69	217	267	128	19	9	-	-
Carbon	277	-	10	28	38	98	86	39	15	1	-	-
Converse	202	-	9	15	24	64	71	34	8	1	-	-
Crook	111	-	3	4	7	33	51	15	5	-	-	-
Fremont	625	-	29	59	88	201	176	122	36	2	-	-
Goshen	176	2	6	13	19	60	58	27	9	1	-	-
Hot Springs	84	-	1	14	15	24	27	14	4	-	-	-
Johnson	94	-	5	5	10	37	28	15	4	-	-	-
Laramie	1,346	4	53	119	172	498	399	210	56	6	1	-
Lincoln	310	-	11	13	24	94	108	61	19	4	-	-
Natrona	1,173	-	45	86	131	345	419	219	55	4	-	-
Niobrara	37	-	1	3	4	13	13	6	1	-	-	-
Park	395	1	9	23	32	142	123	76	20	1	-	-
Platte	136	-	2	7	9	44	50	26	6	1	-	-
Sheridan	364	1	9	19	28	109	125	80	19	2	-	-
Sublette	92	-	2	5	7	17	35	26	7	-	-	-
Sweetwater	888	1	39	67	106	305	258	162	48	8	-	-
Teton	205	-	3	4	7	36	74	60	26	2	-	-
Uinta	490	2	15	28	43	178	160	91	13	3	-	-
Washakie	132	-	3	13	16	47	42	13	14	-	-	-
Weston	117	-	5	13	18	40	40	13	4	2	-	-
Yellowstone NP	5	-	-	-	-	2	2	1	-	-	-	-

Births to Unmarried Mothers by Age of Mother, Race, and County of Residence
Wyoming, 1986

	Total	Age of Mother										
		<15	15-17	18-19	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
Wyoming	1,197	11	181	239	420	443	209	88	24	2	-	-
Race												
White	1,057	11	165	218	383	384	178	77	22	2	-	-
Black	40	-	5	8	13	17	8	2	-	-	-	-
Indian	92	-	11	12	23	38	22	8	1	-	-	-
Other	7	-	-	1	1	4	1	1	-	-	-	-
Unknown	1	-	-	-	-	-	-	-	1	-	-	-
Residence												
Albany	54	-	6	9	15	23	10	4	1	1	-	-
Big Horn	10	-	4	1	5	3	2	-	-	-	-	-
Campbell	85	-	17	23	40	22	14	6	2	1	-	-
Carbon	48	-	7	12	19	18	10	1	-	-	-	-
Converse	29	-	6	5	11	13	2	2	1	-	-	-
Crook	9	-	1	-	1	3	4	1	-	-	-	-
Fremont	136	-	22	25	47	48	27	11	3	-	-	-
Goshen	28	2	5	2	7	12	6	-	1	-	-	-
Hot Springs	15	-	-	10	10	2	1	1	1	-	-	-
Johnson	16	-	4	-	4	9	2	1	-	-	-	-
Laramie	230	4	32	49	81	85	39	20	1	-	-	-
Lincoln	24	-	4	3	7	9	3	5	-	-	-	-
Natrona	195	-	30	35	65	79	38	8	5	-	-	-
Niobrara	9	-	1	1	2	3	3	1	-	-	-	-
Park	47	1	5	10	15	23	5	1	2	-	-	-
Platte	7	-	1	-	1	2	3	-	1	-	-	-
Sheridan	45	1	3	11	14	19	6	5	-	-	-	-
Sublette	9	-	-	1	1	3	2	2	1	-	-	-
Sweetwater	120	1	23	28	51	38	17	11	2	-	-	-
Teton	16	-	2	1	3	4	4	5	-	-	-	-
Uinta	34	2	3	6	9	15	5	3	-	-	-	-
Washakie	16	-	2	5	7	5	4	-	2	-	-	-
Weston	13	-	3	2	5	5	2	-	1	-	-	-
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-

Low Weight Births
by County of Residence
Wyoming, 1982-1986*

Residence	1982		1983		1984		1985		1986		1982-1986
	No.	Percent	No.	Percent	No.	Percent	No.	Percent	No.	Percent	Percent
U.S. Percent	--	6.8	--	6.8	--	6.7	--	6.8	--	N/A	--
Wyoming	790	7.1	721	7.0	688	7.1	659	7.0	587	6.8	7.0
Albany	47	9.8	37	7.0	32	7.4	26	5.2	38	7.8	7.4
Big Horn	17	6.3	13	5.6	14	6.4	16	8.3	12	6.9	6.6
Campbell	58	6.6	72	8.4	64	7.1	58	7.0	35	4.9	6.8
Carbon	39	8.0	33	7.9	26	7.2	34	10.0	13	4.7	7.7
Converse	20	5.8	19	6.6	19	6.3	19	7.5	10	5.0	6.3
Crook	7	5.1	10	7.5	5	3.9	5	4.4	5	4.5	5.2
Fremont	90	9.9	70	8.8	47	6.6	44	6.4	47	7.5	8.0
Goshen	20	9.1	7	3.4	8	4.3	15	8.3	10	5.7	6.2
Hot Springs	9	10.8	9	8.1	10	10.2	4	5.0	3	3.6	7.7
Johnson	7	5.3	4	3.5	6	5.9	8	7.7	3	3.2	5.1
Laramie	104	7.7	88	6.5	104	7.6	112	8.2	107	7.9	7.6
Lincoln	26	6.6	19	5.6	20	5.9	19	6.3	19	6.1	6.1
Natrona	122	7.2	102	6.7	118	8.3	95	6.8	75	6.4	7.1
Niobrara	4	6.3	2	3.8	2	4.8	5	13.5	4	10.8	7.3
Park	25	5.1	30	6.8	18	4.0	23	5.5	22	5.6	5.4
Platte	7	4.5	20	12.6	13	7.9	11	8.5	11	8.1	8.4
Sheridan	25	5.0	28	6.4	26	6.2	20	5.0	32	8.8	6.2
Sublette	6	6.3	5	6.8	8	7.8	11	10.7	8	8.7	8.1
Sweetwater	86	7.3	73	7.5	63	7.2	70	8.1	68	7.7	7.5
Teton	7	3.9	11	5.8	14	7.4	7	3.8	17	8.3	5.9
Uinta	41	6.7	44	6.9	51	8.4	36	6.7	32	6.5	7.1
Washakie	8	4.1	8	4.3	9	5.7	7	4.0	8	6.1	4.7
Weston	15	8.6	17	8.9	11	6.9	13	9.2	8	6.8	8.2
Yellowstone NP	-	-	-	-	-	-	1	33.3	-	-	4.2

*Low weight births are those weighing less than 2500 grams.

Births by Weight at Birth
by County of Residence
Wyoming, 1986

Residence	Total	Low Weight		Weight in Grams							
		Number	Percent	Under 500	500-999	1000-1499	1500-1999	2000-2499	2500-4499	4500+	Unknown
Wyoming	8,633	587	6.8	5	27	49	105	401	7,951	88	7
Albany	490	38	7.8	-	1	3	5	29	447	4	1
Big Horn	175	12	6.9	-	1	1	4	6	158	5	-
Campbell	709	35	4.9	1	3	4	5	22	666	8	-
Carbon	277	13	4.7	1	-	-	2	10	263	1	-
Converse	202	10	5.0	-	-	1	2	7	189	3	-
Crook	111	5	4.5	-	-	1	-	4	102	4	-
Fremont	625	47	7.5	-	2	6	11	28	570	8	-
Goshen	176	10	5.7	-	-	1	1	8	163	3	-
Hot Springs	84	3	3.6	-	-	-	1	2	79	2	-
Johnson	94	3	3.2	-	-	-	1	2	90	1	-
Laramie	1,346	107	7.9	1	5	7	18	76	1,220	17	2
Lincoln	310	19	6.1	-	2	2	6	9	288	3	-
Natrona	1,173	75	6.4	1	3	4	11	56	1,086	10	2
Niobrara	37	4	10.8	-	-	1	1	2	33	-	-
Park	395	22	5.6	-	-	-	4	18	371	2	-
Platte	136	11	8.1	-	-	-	3	8	124	1	-
Sheridan	364	32	8.8	-	4	5	5	18	329	3	-
Sublette	92	8	8.7	-	-	1	1	6	82	2	-
Sweetwater	888	68	7.7	-	1	5	14	48	815	5	-
Teton	205	17	8.3	-	2	3	-	12	185	2	1
Uinta	490	32	6.5	1	2	1	8	20	457	-	1
Washakie	132	8	6.1	-	-	-	1	7	122	2	-
Weston	117	8	6.8	-	1	3	1	3	107	2	-
Yellowstone NP	5	-	-	-	-	-	-	-	5	-	-

Births by Live Birth Order
by County of Residence
Wyoming, 1986

Residence	Total	Live Birth Order						
		1st	2nd	3rd	4th	5th	6th & Over	Unknown
Wyoming	8,633	3,210	2,839	1,534	614	254	175	7
Albany	490	211	163	76	22	11	6	1
Big Horn	175	46	54	32	24	10	9	-
Campbell	709	246	246	136	55	18	8	-
Carbon	277	101	101	46	19	8	1	1
Converse	202	59	73	47	17	4	2	-
Crook	111	36	36	21	10	4	4	-
Fremont	625	233	187	117	48	22	18	-
Goshen	176	59	57	41	12	4	3	-
Hot Springs	84	34	26	15	7	2	-	-
Johnson	94	32	40	15	3	2	2	-
Laramie	1,346	592	446	205	63	29	11	-
Lincoln	310	80	81	64	33	23	28	1
Natrona	1,173	476	368	204	74	28	23	-
Niobrara	37	14	16	4	1	2	-	-
Park	395	151	144	54	29	8	9	-
Platte	136	41	50	27	12	5	1	-
Sheridan	364	132	124	65	25	13	5	-
Sublette	92	27	31	22	8	3	1	-
Sweetwater	888	298	291	172	71	37	18	1
Teton	205	105	59	28	8	2	3	-
Uinta	490	157	153	93	50	15	19	3
Washakie	132	41	48	28	11	-	4	-
Weston	117	39	41	21	12	4	-	-
Yellowstone NP	5	-	4	1	-	-	-	-

Births by Age of Mother
by Live Birth Order
Wyoming, 1986

Age of Mother	Total	Live Birth Order						
		1st	2nd	3rd	4th	5th	6th & Over	Unknown
Total	8,633	3,210	2,839	1,534	614	254	175	7
Under 15	11	10	1	-	-	-	-	-
15-17	305	277	27	1	-	-	-	-
18-19	610	457	124	28	1	-	-	-
15-19	915	734	151	29	1	-	-	-
20-24	2,803	1,246	1,022	413	95	17	4	6
25-29	2,832	778	1,069	634	235	88	28	-
30-34	1,59J	380	484	353	206	96	71	1
35-39	429	59	103	100	67	43	57	-
40-44	51	3	9	5	10	10	14	-
45+	1	-	-	-	-	-	1	-

Births by One-Minute
by Five-Minute Apgar Score
Wyoming, 1986

One-Minute Score	Total	Five-Minute Score											
		0	1	2	3	4	5	6	7	8	9	10	Not Stated
Total	8,633	2	15	10	8	28	38	91	231	1,247	6,088	822	53
0	11	1	2	2	1	1	1	2	-	1	-	-	-
1	49	-	11	3	5	6	3	5	4	9	3	-	-
2	69	1	2	2	2	12	8	13	13	10	6	-	-
3	92	-	-	-	-	6	9	22	21	18	15	1	-
4	119	-	-	1	-	1	10	16	23	41	26	1	-
5	236	-	-	-	-	1	4	18	50	87	74	2	-
6	488	-	-	-	-	-	-	8	81	214	184	1	-
7	1,501	-	-	-	-	1	2	6	35	474	955	27	1
8	4,217	-	-	1	-	-	1	-	1	382	3,646	186	-
9	1,754	-	-	-	-	-	-	1	3	9	1,175	565	1
10	42	-	-	-	-	-	-	-	-	1	2	39	-
Not Stated	55	-	-	1	-	-	-	-	-	1	2	-	51

Births by Trimester Prenatal Care Began
by County of Residence
Wyoming, 1986

Residence	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Wyoming	8,633	6,857	1,384	259	74	59
Albany	490	432	38	9	7	4
Big Horn	175	143	27	5	-	-
Campbell	709	531	131	35	4	8
Carbon	277	205	52	13	5	2
Converse	202	159	36	7	-	-
Crook	111	79	23	6	-	3
Fremont	625	487	106	21	6	5
Goshen	176	136	28	7	1	4
Hot Springs	84	65	15	3	1	-
Johnson	94	53	32	7	2	-
Laramie	1,346	1,007	275	47	5	12
Lincoln	310	231	61	12	1	5
Natrona	1,173	1,012	133	14	10	4
Niobrara	37	29	4	2	1	1
Park	395	330	54	7	4	-
Platte	136	105	27	3	1	-
Sheridan	364	315	44	4	1	-
Sublette	92	76	14	1	1	-
Sweetwater	888	708	141	23	12	4
Teton	205	176	23	5	1	-
Uinta	490	377	80	18	8	7
Washakie	132	108	16	5	3	-
Weston	117	89	23	5	-	-
Yellowstone NP	5	4	1	-	-	-

Births by Age of Mother
by Trimester Prenatal Care Began
Wyoming, 1986

Age of Mother	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Total	8,633	6,857	1,384	259	74	59
Under 15	11	2	5	3	1	-
15-17	305	182	101	16	5	1
18-19	610	384	177	29	16	4
15-19	915	566	278	45	21	5
20-24	2,803	2,172	481	100	35	15
25-29	2,832	2,386	352	58	10	26
30-34	1,591	1,349	195	35	2	10
35-39	429	347	62	13	4	3
40-44	51	35	10	5	1	-
45+	1	-	1	-	-	-
Unknown	-	-	-	-	-	-

Births by Education of Mother
by Trimester Prenatal Care Began
Wyoming, 1986

Education in Years	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Total	8,633	6,857	1,384	259	74	59
0-8	144	90	37	11	5	1
9-11	1,185	769	331	63	18	4
12	3,738	2,919	636	127	35	21
13-15	1,987	1,661	263	37	12	14
16	1,090	997	78	10	2	3
17+	418	381	29	5	-	3
Unknown	71	40	10	6	2	13

Births by Education of Mother by County of Residence Wyoming, 1986

Residence	Total	Education in Years						
		0-8	9-11	12	13-15	16	17+	Not Stated
Wyoming	8,633	144	1,185	3,738	1,987	1,090	418	71
Albany	490	4	40	116	127	127	66	10
Big Horn	175	3	23	85	42	18	4	-
Campbell	709	11	98	346	139	95	18	2
Carbon	277	5	46	135	47	31	11	2
Converse	202	4	25	96	42	24	10	1
Crook	111	2	12	58	23	14	2	-
Fremont	625	9	113	257	147	68	31	-
Goshen	176	5	27	67	50	15	12	-
Hot Springs	84	-	17	42	12	10	3	-
Johnson	94	1	15	46	24	8	-	-
Laramie	1,346	28	168	617	321	134	69	9
Lincoln	310	2	36	135	94	30	12	1
Natrona	1,173	17	168	499	251	163	68	7
Niobrara	37	-	6	13	12	5	1	-
Park	395	3	35	165	121	50	19	2
Platte	136	2	18	63	28	17	8	-
Sheridan	364	6	51	140	109	41	16	1
Sublette	92	1	10	40	19	18	3	1
Sweetwater	888	23	147	418	156	93	32	19
Teton	205	1	10	62	58	54	14	6
Uinta	490	10	71	226	108	53	13	9
Washakie	132	6	29	53	30	12	2	-
Weston	117	1	20	56	26	9	4	1
Yellowstone NP	5	-	-	3	1	1	-	-

Births with Reported Congenital Anomalies
Wyoming Residents, 1982-1986

Congenital Anomalies	1982	1983	1984	1985	1986
Total	135	96	127	138	100
Anencephalus (740)	-	1	3	1	-
Spina bifida (741)	2	5	4	4	1
Other anomalies of the nervous system (742)	8	4	3	2	3
Anomalies of the eye (743)	-	1	1	2	4
Anomalies of the ear, face and neck (744)	1	3	2	3	1
Bulbus cordis and cardiac septal closure anomalies (745)	4	1	1	3	1
Other anomalies of the heart (746)	1	3	9	5	5
Other anomalies of the circulatory system (747)	10	1	5	6	4
Anomalies of the respiratory system (748)	2	2	1	-	-
Cleft palate and cleft lip (749)	13	12	9	10	7
Anomalies of the upper alimentary tract (750)	5	1	2	4	1
Other anomalies of the digestive system (751)	4	2	2	4	1
Anomalies of genital organs (752)	11	8	8	12	10
Anomalies of the urinary system (753)	1	3	6	4	2
Certain musculoskeletal deformities (754)	6	6	6	7	4
Other anomalies of the limbs (755)	12	18	23	31	15
Other musculoskeletal anomalies (756)	9	1	3	7	3
Anomalies of the integument (757)	15	5	8	8	10
Chromosomal anomalies (758)	2	2	8	7	8
Other, unspecified or multiple anomalies (759)	29	17	23	18	20

Note: Code numbers following anomalies refer to the Ninth Revision of the International Classification of Diseases.

Births by County of Occurrence
Attendant, and Place of Delivery
Wyoming, 1986

Occurrence	Total	Attendant		Place of Delivery	
		Physician	Other	Hospital	Other
Wyoming	8,005	7,944	61	7,902	103
Albany	593	586	7	585	8
Big Horn	118	117	1	117	1
Campbell	727	714	13	710	17
Carbon	181	179	2	179	2
Converse	102	100	2	101	1
Crook	18	18	-	17	1
Fremont	612	612	-	611	1
Goshen	142	142	-	142	-
Hot Springs	74	74	-	74	-
Johnson	86	85	1	85	1
Laramie	1,182	1,174	8	1,174	8
Lincoln	190	188	2	187	3
Natrona	1,240	1,235	5	1,203	37
Niobrara	20	20	-	20	-
Park	429	426	3	426	3
Platte	118	115	3	115	3
Sheridan	448	446	2	446	2
Sublette	3	3	-	-	3
Sweetwater	845	842	3	842	3
Teton	345	340	5	340	5
Uinta	284	282	2	282	2
Washakie	136	135	1	135	1
Weston	112	111	1	111	1
Yellowstone NP	-	-	-	-	-

Birth Travel Patterns
County of Residence
by County of Occurrence
Wyoming, 1986

Place of Occurrence

Place of Residence	Total	Albany	Big Horn	Campbell	Carbon	Converse	Crook	Fremont	Goshen	Hot Springs	Johnson	Laramie	Lincoln	Natrona	Niobrara	Park	Platte	Sheridan	Sublette	Sweetwater	Teton	Uinta	Washakie	Weston	Yellowstone NP	Out of State
Total	—	593	118	727	181	102	18	612	142	74	86	1,182	190	1,240	20	429	118	448	3	845	345	284	136	112	-	814
Albany	490	463	-	-	1	-	-	-	-	-	-	2	-	1	-	2	1	-	-	-	-	-	-	-	-	20
Big Horn	175	-	110	1	-	-	-	-	-	6	-	-	-	-	-	42	-	-	-	-	-	-	10	-	-	6
Campbell	709	-	-	656	-	1	3	-	-	-	12	1	-	4	-	-	-	16	-	-	-	-	-	2	-	14
Carbon	277	79	-	-	161	-	-	2	-	-	-	1	-	3	-	-	-	-	-	2	-	-	-	-	-	29
Converse	202	-	-	-	-	98	-	-	1	-	-	-	-	73	-	-	25	-	-	-	-	-	-	-	-	5
Crook	111	-	-	41	-	-	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	10	-	46
Fremont	625	-	-	1	-	-	-	595	-	2	-	1	-	-	-	-	-	1	-	1	8	-	-	-	-	16
Goshen	176	1	-	-	-	-	-	-	115	-	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-	55
Hot Springs	84	1	1	-	-	-	-	7	-	64	-	-	-	-	-	2	-	-	-	-	-	-	8	-	-	1
Johnson	94	-	-	1	-	-	-	-	-	-	60	-	-	3	-	-	-	28	-	-	-	-	-	-	-	2
Laramie	1,346	21	-	-	-	1	-	-	-	-	-	1,136	-	-	-	-	1	-	-	-	-	-	-	-	-	187
Lincoln	310	1	-	-	-	-	-	-	-	-	-	-	182	-	-	-	-	-	-	7	50	15	-	-	-	55
Natrona	1,173	-	-	2	-	-	-	1	-	-	4	1	-	1,142	-	-	3	-	-	1	1	-	-	-	-	18
Niobrara	37	-	-	-	-	2	-	-	1	-	-	-	-	4	19	-	-	-	-	-	-	-	-	3	-	8
Park	395	1	5	-	-	-	-	-	-	-	-	-	-	-	-	371	-	-	-	-	-	-	-	-	-	18
Platte	136	6	-	-	-	-	-	-	16	-	-	15	-	3	-	-	86	-	-	-	-	-	-	-	-	10
Sheridan	364	-	-	2	-	-	-	-	-	-	7	-	-	-	-	-	-	345	-	-	-	-	-	-	-	10
Sublette	92	-	-	-	-	-	-	1	-	-	-	-	4	1	-	-	-	-	3	3	74	-	-	-	-	6
Sweetwater	888	1	-	-	17	-	-	3	-	-	-	-	-	1	-	-	-	-	-	795	1	1	-	-	-	69
Teton	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	192	-	-	-	-	13
Uinta	490	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	23	-	259	-	-	-	206
Washakie	132	-	-	-	-	-	-	2	-	2	2	-	-	1	-	3	-	-	-	-	1	-	117	-	-	4
Weston	117	-	-	5	-	-	2	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	96	-	11
Yellowstone NP	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Out of State	186	19	2	18	2	-	1	1	9	-	-	21	2	3	1	9	1	55	-	13	18	9	1	1	-	—

Rows - The total indicates the number of births to residents of a particular county. The entries in the row indicate the counties in which these births occurred.

Columns - The total indicates the number of births which occurred in a particular county. The entries in the column indicate the county of residence of the mother.

Births by County of Residence
And County of Occurrence
Wyoming, 1982-1986

County	1982		1983		1984		1985		1986	
	Res	Occ	Res	Occ	Res	Occ	Res	Occ	Res	Occ
Wyoming	11,053	10,174	10,254	9,501	9,753	9,094	9,358	8,780	8,633	8,005
Albany	478	633	526	653	433	542	504	600	490	593
Big Horn	272	177	233	148	219	162	193	134	175	118
Campbell	885	707	857	706	907	769	832	743	709	727
Carbon	490	305	416	291	359	219	339	215	277	181
Converse	345	260	286	205	303	193	253	161	202	102
Crook	136	70	134	68	127	66	113	44	111	18
Fremont	910	884	795	809	712	714	690	691	625	612
Goshen	219	194	206	159	188	162	180	130	176	142
Hot Springs	83	56	111	70	98	67	80	71	84	74
Johnson	132	180	114	136	101	111	104	100	94	86
Laramie	1,354	1,329	1,362	1,318	1,375	1,366	1,373	1,321	1,346	1,182
Lincoln	394	301	339	246	337	237	304	222	310	190
Natrona	1,699	1,766	1,533	1,589	1,420	1,512	1,398	1,449	1,173	1,240
Niobrara	64	37	52	39	42	21	37	21	37	20
Park	491	553	441	503	446	489	417	457	395	429
Platte	154	126	159	131	164	125	129	118	136	118
Sheridan	497	640	435	594	417	608	404	564	364	448
Sublette	96	5	74	5	103	2	103	4	92	3
Sweetwater	1,183	1,019	971	876	879	820	860	787	888	845
Teton	179	310	191	300	189	309	184	302	205	345
Uinta	616	222	638	254	608	272	540	325	490	284
Washakie	197	238	185	226	159	178	177	183	132	136
Weston	175	162	192	175	159	149	141	138	117	112
Yellowstone NP	4	-	4	-	8	1	3	-	5	-

Mortality

MORTALITY

In 1986, 3,217 Wyoming residents died, 69 less than in 1985. Due to a small decrease in the state's population, the crude death rate remained the same at 6.5 deaths per thousand population. Since 1981 the state's death rate has varied between 6.3 and 6.5. The comparable rate for the U.S. for 1986 was 8.7. Most of the difference in these rates can be accounted for by Wyoming's younger population. After adjusting for age differences, Wyoming's rate was 7% below the national.

Numbers of deaths decreased in most age groups, but increased in the 1-4, 15-24 and 65-74 age groups. The median age at death was 70.7 for males and 77.3 for females.

Leading Causes Over 80% of the deaths of Wyoming residents were the result of the ten leading causes listed below. While the ranking of the first seven causes has stayed the same since 1982, the remaining leading causes tend to vary from year to year. In 1986 certain conditions of the perinatal period dropped from the eighth position to the tenth, and diabetes mellitus moved up from tenth to eighth place.

Ten Leading Causes of Death
Wyoming Residents, 1986

Rank	Cause of Death	Number	WY Rate	US Rate
	All Causes	3,217	653.6	870.8
1	Heart Disease	997	202.6	318.7
2	Malignant Neoplasms	649	131.9	193.3
3	Accidents	245	49.8	39.7
	Motor Vehicle	150	30.5	20.1
	Other Accidents	95	19.3	19.5
4	Cerebrovascular Disease	188	38.2	61.3
5	Chronic Obstructive Pulmonary Disease	176	35.8	31.3
6	Pneumonia and Influenza	129	26.2	29.2
7	Suicide	99	20.1	13.1
8	Diabetes Mellitus	50	10.2	15.1
9	Chronic Liver Disease and Cirrhosis	36	7.3	10.9
10	Certain Conditions of the Perinatal Period	34	6.9	7.5
	All Other Causes	614	124.7	150.7

*per 100,000 population


Leading Causes of Death
Wyoming, 1988
All Other Causes (29.9%)
Heart Disease (31.0%)
Pulmonary Disease (5.5%)
Cerebrovascular Disease (5.8%)
Accidents (7.6%)
Malignant Neoplasms (20.2%)


Years of Potential Life Lost
by Leading Cause, Wyoming, 1988
All Other Causes (20.2%)
Accidents (40.3%)
Homicide (4.8%)
Heart Disease (9.3%)
Suicide (11.4%)
Malignant Neoplasms (14.0%)

Rates for six of the ten causes increased over the previous year. Chronic obstructive pulmonary disease (+14.4%) recorded the largest percentage increase, followed by malignant neoplasms (+10.6%), and diabetes mellitus (+9.7%). Total accidental deaths increased by 2.3%, with deaths due to motor vehicle accidents increasing 16.4% and those due to other accidents decreasing by 14.6%. This was the first increase in the accidental death rate since 1981. The largest percentage decreases in rates were recorded for certain conditions of the perinatal period (-31.7%), chronic liver disease and cirrhosis (-21.5%), and suicide (-12.6%).

Although the suicide rate decreased in 1986 it was still 53.4% above the national rate. The only other causes for which Wyoming's crude rates exceeded national ones were accidents (25.4%) and chronic obstructive pulmonary disease (14.4%).

Years of Potential Life Lost An alternative method of examining the relative importance of various causes of death which emphasizes deaths at younger ages is the years of potential life lost statistic. In calculating this measure only deaths between the ages of one and 64 have been included. The years of potential life lost is determined for each death by subtracting the age at death from 65. This figure is then summed by cause of death categories.

Leading Causes of Years of Potential Life Lost
Wyoming Residents, 1986

Rank	Cause	YPLL	% of Total YPLL
	All Causes	19,622	100.0
1	Accidents	7,910	40.3
2	Malignant Neoplasms	2,744	14.0
3	Suicide	2,231	11.4
4	Heart Disease	1,831	9.3
5	Homicide	944	4.8
6	Chronic Liver Disease and Cirrhosis	358	1.8
7	Congenital Anomalies	326	1.7
8	Diabetes Mellitus	316	1.6
9	Cerebrovascular Disease	247	1.3
10	Chronic Obstructive Pulmonary Disease	204	1.0
	All Other Causes	2,511	12.8

Accidents were the leading cause of YPLL, accounting for 40.3% of the total. Malignant neoplasms were second in this ranking as they were in total numbers of deaths caused. Suicide was third accounting for 11.4% of the YPLL, down from 14.7% in 1985. Heart disease which was the leading cause of death, was the fourth leading cause of YPLL. Homicide and congenital

anomalies were included in this ranking although they were not among the ten leading causes of death. Chronic obstructive pulmonary disease dropped from fifth to tenth in this system and pneumonia and influenza were not among the ten leading causes of YPLL.

Infant Mortality After two years of rising infant mortality Wyoming's rate dropped in 1986. There were 94 resident infant deaths resulting in an infant mortality rate of 10.9 infant deaths per 1,000 live births. This was down substantially from the 1985 rate of 12.2, but still higher than the record low rate of 9.8 recorded for the state in 1983. The comparable rate for the U.S. as a whole was 10.4.

Both the neonatal and postneonatal components of the state's rate fell. There were 49 resident neonatal deaths, 5.7 per 1,000 live births. This was down from 6.4 in 1985 and was below the U.S. rate of 6.7. The postneonatal rate fell from 5.8 to 5.2 in 1986, but was still well above the U.S. rate of 3.7. Wyoming's postneonatal rate has exceeded the U.S. in all but one of the last ten years.

The following table compares leading causes of infant death in Wyoming to those in the U.S. Three years of state data are used because of the small numbers of deaths involved. Sudden Infant Death Syndrome is the leading cause of infant death in Wyoming, although it is second nationally. The state's SIDS rate for 1984 through 1986 was 91% higher than the 1985 national rate.

Leading Causes of Infant Death
Wyoming Residents 1984 - 1986, U.S. 1985

Rank		WY 1984-1986 Number	WY 1984-1986 Rate*	US 1985 Rate*
	All Causes	316	113.9	106.5
1	Sudden Infant Death Syndrome	75	27.0	14.1
2	Congenital Anomalies	65	23.4	22.8
3	Respiratory Distress Syndrome	18	6.5	9.8
4	Disorders Relating to Short Gestation and Unspecified Low Birthweight	16	5.8	8.7
5	Newborn Affected by Complication of Placenta, Cord, and Membranes	15	5.4	2.4
6	Accidents	10	3.6	2.4
7	Intrauterine Hypoxia and Birth Asphyxia	10	3.6	3.1
8	Infections Specific to the Perinatal Period	9	3.2	2.5
9	Newborn Affected by Maternal Complications of Pregnancy	8	2.9	3.6
10	Newborn Affected by Other Maternal Conditions	3	1.1	.3
	All Other Causes	87	31.4	36.8

* per 10,000 live births

Infant and Neonatal Mortality Rates

Wyoming and United States, 1970 – 1986



	Neonatal*		Post Neonatal*		Infant*	
Year	WY	U.S.	WY	U.S.	WY	U.S.
1970	15.3	15.1	4.7	4.9	20.0	20.0
1971	18.7	14.2	6.0	4.9	24.7	19.1
1972	17.5	13.6	4.3	4.8	21.8	18.5
1973	14.5	13.0	4.1	4.8	18.6	17.7
1974	11.3	12.3	4.9	4.4	16.2	16.7
1975	12.8	11.6	4.5	4.5	17.3	16.1
1976	10.7	10.9	5.7	4.3	16.4	15.2
1977	8.6	9.9	5.3	4.2	13.9	14.1
1978	8.1	9.5	5.0	4.3	13.1	13.8
1979	8.4	8.9	4.8	4.2	13.2	13.1
1980	6.4	8.5	3.4	4.1	9.9	12.6
1981	7.0	8.0	4.2	3.9	11.2	11.9
1982	5.9	7.7	4.0	3.8	9.9	11.5
1983	5.1	7.3	4.8	3.9	9.8	11.2
1984	7.1	7.0	4.0	3.8	11.1	10.8
1985	6.4	7.0	5.8	3.7	12.2	10.6
1986	5.7	6.7	5.2	3.7	10.9	10.4

*Rates per 1,000 live births

Deaths and Rates
by County of Residence
Wyoming, 1982-1986

Residence	1982		1983		1984		1985		1986	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	8.5	--	8.6	--	8.6	--	8.7	--	8.7
Wyoming	3,183	6.4	3,155	6.3	3,180	6.3	3,286	6.5	3,217	6.5
Albany	148	4.9	153	5.0	128	4.1	150	4.9	149	4.9
Big Horn	124	9.8	111	9.0	147	12.2	101	8.5	148	13.1
Campbell	117	3.7	115	3.6	118	3.7	105	3.1	121	3.9
Carbon	145	6.9	130	6.4	146	7.4	152	8.2	122	6.9
Converse	79	5.8	67	5.2	91	6.9	76	5.7	89	6.9
Crook	28	5.0	52	9.2	36	6.3	44	7.5	38	6.5
Fremont	277	7.0	235	5.8	252	6.3	280	7.5	255	7.1
Goshen	136	11.1	131	10.5	114	8.9	134	10.2	139	10.5
Hot Springs	71	12.3	61	10.3	62	10.2	53	8.7	60	10.1
Johnson	65	9.4	63	9.0	72	10.2	78	11.0	77	11.4
Laramie	478	6.8	503	7.1	501	7.0	565	7.9	526	7.3
Lincoln	82	6.2	76	5.6	83	5.7	93	5.2	93	5.1
Natrona	401	5.3	408	5.4	416	5.5	420	5.8	403	6.0
Niobrara	36	11.2	32	9.6	39	11.6	38	11.4	29	9.0
Park	168	7.3	146	6.2	178	7.4	187	7.8	161	6.9
Platte	89	9.0	77	7.7	86	8.6	85	8.6	89	9.1
Sheridan	238	9.1	247	9.0	238	8.6	236	8.9	218	8.6
Sublette	29	5.8	41	8.1	32	6.3	33	4.7	37	5.1
Sweetwater	227	5.0	212	5.1	180	4.4	190	4.3	201	4.5
Teton	36	3.7	49	4.7	35	3.4	54	5.0	47	4.2
Uinta	77	4.0	85	4.2	100	4.7	88	4.1	85	3.9
Washakie	67	6.8	90	8.9	56	5.4	71	6.8	69	6.7
Weston	64	8.3	71	9.1	70	8.9	53	6.9	61	8.2
Yellowstone NP	1	--	-	--	-	--	-	--	-	--

Deaths by Sex, Race, Age,
and County of Residence
Wyoming, 1986

	Total	Age Group											
		Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
Wyoming	3,217	94	26	17	113	125	125	166	374	694	841	642	-
Sex													
Male	1,772	53	13	6	85	94	90	92	229	425	455	230	-
Female	1,445	41	13	11	28	31	35	74	145	269	386	412	-
Race													
White	3,141	88	24	15	105	123	115	158	365	685	826	637	-
Black	22	-	1	2	1	-	-	1	4	4	6	3	-
Indian	47	6	1	-	7	2	9	6	5	2	8	1	-
Other	6	-	-	-	-	-	-	1	-	3	1	1	-
Unknown	1	-	-	-	-	-	1	-	-	-	-	-	-
Residence													
Albany	149	2	1	-	4	4	2	10	21	27	47	31	-
Big Horn	148	3	2	-	2	3	2	2	15	29	47	43	-
Campbell	121	4	3	1	5	4	13	8	17	18	21	27	-
Carbon	122	2	-	-	4	6	3	8	8	32	33	26	-
Converse	89	2	1	-	4	3	2	1	12	15	23	26	-
Crook	38	2	-	-	-	2	-	2	4	8	12	8	-
Fremont	255	11	1	3	14	7	15	19	33	58	50	44	-
Goshen	139	2	-	-	2	2	2	5	16	33	44	33	-
Hot Springs	60	1	-	-	1	-	-	1	4	21	22	10	-
Johnson	77	4	-	1	4	3	3	1	6	16	15	24	-
Laramie	526	13	7	3	15	22	24	28	62	110	140	102	-
Lincoln	93	4	-	-	4	6	3	6	10	17	25	18	-
Natrona	403	14	3	2	17	15	21	25	54	85	88	79	-
Niobrara	29	-	-	-	2	1	1	1	6	5	9	4	-
Park	161	5	-	1	5	4	2	6	18	39	45	36	-
Platte	89	1	-	-	1	3	3	1	8	25	29	18	-
Sheridan	218	5	-	-	5	7	4	8	17	55	75	42	-
Sublette	37	-	-	-	3	2	1	2	3	7	11	8	-
Sweetwater	201	9	3	3	8	13	13	15	30	43	49	15	-
Teton	47	2	1	-	1	4	3	4	6	6	11	9	-
Uinta	85	5	2	3	5	7	4	6	7	23	15	8	-
Washakie	69	1	-	-	5	5	2	1	7	15	18	15	-
Weston	61	2	2	-	2	2	2	6	10	7	12	16	-
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-	-

Deaths by Selected Cause
and County of Residence
Wyoming, 1986

Residence	Total	Malignant Neoplasms 140–208	Diabetes Mellitus 250	Heart Disease 390–398, 402, 404–429	Cerebrovascular Disease 430–438	Arteriosclerosis 440	Pneumonia and Influenza 480–487	Chronic Pulmonary Disease 490–496	Ulcer of the Stomach and Duodenum 531–533	Chronic Liver Disease and Cirrhosis 571	Nephritis and Nephrosis 580–589	Complication of Pregnancy, Childbirth & the Puerperium 630–676	Congenital Anomalies 740–759	Certain Conditions of the Perinatal Period 760–779	Accidents (Total) E800–E949	Motor Vehicle Accidents E810–E825	Suicide E950–E959	Homicide E960–E978	All Other Causes
Wyoming	3,217	649	50	997	188	25	129	176	12	36	28	-	25	34	245	150	99	28	496
Albany	149	36	1	54	4	1	4	10	1	-	1	-	1	1	7	5	3	1	24
Big Horn	148	23	5	49	14	-	9	4	1	2	2	-	-	1	7	3	3	1	27
Campbell	121	20	2	42	10	-	4	3	-	-	-	-	-	3	13	11	1	-	23
Carbon	122	25	1	30	11	3	6	6	-	1	1	-	-	2	5	2	5	2	24
Converse	89	14	1	30	7	-	5	4	1	2	-	-	1	1	7	3	-	-	16
Crook	38	7	-	17	2	-	1	3	-	-	-	-	1	1	4	1	-	-	2
Fremont	255	51	1	80	8	2	11	15	1	5	3	-	3	1	17	14	10	2	45
Goshen	139	20	2	53	5	2	7	9	-	2	2	-	1	-	6	2	4	-	26
Hot Springs	60	15	-	17	2	-	6	6	1	1	-	-	-	-	1	1	2	-	9
Johnson	77	21	-	21	4	-	3	3	-	-	-	-	1	-	9	6	2	-	13
Laramie	526	108	13	169	31	1	13	26	3	10	4	-	7	3	29	14	15	9	85
Lincoln	93	17	1	35	7	1	3	5	-	3	2	-	-	3	8	5	4	1	3
Natrona	403	95	11	116	20	4	18	20	2	2	3	-	3	6	31	20	15	3	54
Niobrara	29	6	-	8	2	3	2	2	-	1	-	-	-	-	2	1	1	-	2
Park	161	42	1	45	12	-	5	6	1	1	2	-	1	2	13	9	2	-	28
Platte	89	21	2	35	5	-	-	9	-	1	1	-	-	1	2	1	6	-	6
Sheridan	218	44	-	68	15	3	15	14	1	1	4	-	2	1	15	11	7	-	28
Sublette	37	13	-	9	1	-	-	2	-	-	2	-	-	-	5	3	1	1	3
Sweetwater	201	29	2	56	15	2	8	10	-	4	1	-	1	3	23	17	7	4	36
Teton	47	8	2	10	3	-	-	5	-	-	-	-	1	1	10	3	1	1	5
Uinta	85	6	1	21	1	2	3	8	-	-	-	-	-	3	17	13	5	2	16
Washakie	69	14	4	19	3	1	2	2	-	-	-	-	1	-	11	3	4	-	8
Weston	61	14	-	13	6	-	4	4	-	-	-	-	1	1	3	2	1	1	13
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

Leading Cause of Death by Age Group
Wyoming, 1986

Cause of Death	Number Deaths	Percent of Total
ALL AGES		
Disease of the Heart	997	31.0
Malignant Neoplasms	649	20.2
Accidents	245	7.6
Cerebrovascular Disease	188	5.8
Chronic Pulmonary Disease	176	5.5
All Other Causes	962	29.9
Total	3,217	100.0
UNDER 1 YEAR		
Sudden Infant Death Syndrome	24	25.5
Congenital Anomalies	18	19.1
Respiratory Distress Syndrome	7	7.4
Immaturity	3	3.2
All Other Causes	42	44.7
Total	94	100.0
1 - 4 YEARS		
Accidents	12	46.2
Congenital Anomalies	3	11.5
Septicemia	2	7.7
All Other Causes	9	34.6
Total	26	100.0
5 - 14 YEARS		
Accidents	11	64.7
All Other Causes	6	35.3
Total	17	100.0
15 - 24 YEARS		
Accidents	80	70.8
Suicide	15	13.3
Homicide	5	4.4
Malignant Neoplasms	4	3.5
Disease of the Heart	2	1.8
All Other Causes	7	6.2
Total	113	100.0
25 - 34 YEARS		
Accidents	52	41.6
Suicide	26	20.8
Homicide	13	10.4
Malignant Neoplasms	7	5.6
Disease of the Heart	4	3.2
All Other Causes	23	18.4
Total	125	100.0

Cause of Death	Number Deaths	Percent of Total
35 - 44 YEARS		
Accidents	27	21.6
Disease of the Heart	26	20.8
Malignant Neoplasms	26	20.8
Suicide	16	12.8
Homicide	5	4.0
All Other Causes	25	20.0
Total	125	100.0
45 - 54 YEARS		
Malignant Neoplasms	54	32.5
Disease of the Heart	31	18.7
Accidents	22	13.3
Chronic Liver Disease and Cirrhosis	9	5.4
Cerebrovascular Disease	8	4.8
Suicide	8	4.8
All Other Causes	34	20.5
Total	166	100.0
55 - 64 YEARS		
Malignant Neoplasms	146	39.0
Disease of the Heart	103	27.5
Chronic Pulmonary Disease	17	4.5
Accidents	13	3.5
Cerebrovascular Disease	12	3.2
All Other Causes	83	22.2
Total	374	100.0
65 - 74 YEARS		
Disease of the Heart	245	35.3
Malignant Neoplasms	176	25.4
Chronic Pulmonary Disease	62	8.9
Cerebrovascular Disease	30	4.3
Pneumonia and Influenza	20	2.9
All Other Causes	161	23.2
Total	694	100.0
75 YEARS & OVER		
Disease of the Heart	582	39.2
Malignant Neoplasms	233	15.7
Cerebrovascular Disease	135	9.1
Pneumonia and Influenza	98	6.6
Chronic Pulmonary Disease	89	6.0
All Other Causes	346	23.3
Total	1,483	100.0

Resident Deaths by
Selected Cause and Age
Wyoming, 1986

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All Causes	3,217	94	26	17	113	125	125	166	374	694	841	642	-
Tuberculosis (010-018)	3	-	-	-	-	-	1	-	-	1	-	1	-
Residual of infectious and parasitic diseases	38	2	3	-	-	2	-	3	3	7	5	13	-
Malignant neoplasms (140-208)	649	1	1	1	4	7	26	54	146	176	146	87	-
Digestive organs and peritoneum (150-159)	134	-	-	-	-	-	3	14	25	42	28	22	-
Respiratory and intrathoracic organs (160-165)	170	-	-	-	-	-	2	15	48	59	35	11	-
Breast (174-175)	65	-	-	-	-	3	4	7	15	13	12	11	-
Genital organs (179-187)	75	-	-	-	-	-	2	1	9	18	31	14	-
Urinary organs (188-189)	31	-	-	-	-	-	2	4	5	6	6	8	-
Leukemia (204-208)	35	1	-	1	1	-	4	1	8	5	9	5	-
Other malignant neoplasms	139	-	1	-	3	4	9	12	36	33	25	16	-
Diabetes mellitus (250)	50	-	-	-	1	3	4	2	7	12	10	11	-
Major cardiovascular diseases (390-448)	1,260	3	1	-	2	7	28	41	121	301	420	336	-
Diseases of heart (390-398, 402, 404-429)	997	3	1	-	2	4	26	31	103	245	319	263	-
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	-	1	1	2	1	3	-
Hypertensive heart disease (402,404)	12	-	-	-	-	-	-	-	-	5	1	6	-
Ischemic heart disease (410-414)	621	-	1	-	-	2	19	26	61	165	208	139	-
Other heart disease (415-429)	356	3	-	-	2	2	7	4	41	73	109	115	-
Hypertension (401, 403)	12	-	-	-	-	-	-	1	1	7	1	2	-
Cerebrovascular disease (430-438)	188	-	-	-	-	1	2	8	12	30	78	57	-
Arteriosclerosis (440)	25	-	-	-	-	-	-	-	1	4	9	11	-
Other cardiovascular disease (441-448)	38	-	-	-	-	2	-	1	4	15	13	3	-
Pneumonia and influenza (480-487)	129	1	1	-	1	-	1	-	7	20	42	56	-
Chronic obstructive pulmonary disease (490-496)	176	-	-	-	-	-	3	5	17	62	74	15	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	1	-	-	1	-	4	3	3	-
Chronic liver disease and cirrhosis (571)	36	-	-	-	-	1	4	9	10	8	3	1	-
Nephritis and nephrosis (580-589)	28	-	-	-	-	-	-	1	1	5	11	10	-
Complications of pregnancy, childbirth and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	25	18	3	1	-	1	1	1	-	-	-	-	-
Certain conditions of the perinatal period (760-779)	34	34	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	89	25	1	-	1	1	-	1	3	10	18	29	-
All other diseases	313	9	2	3	3	12	8	16	34	63	88	75	-
Motor vehicle accidents (E810-E825)	150	1	7	8	61	33	14	14	3	3	3	3	-
Other accidents (E800-E807, E826-E949)	95	-	5	3	19	19	13	8	10	7	9	2	-
Suicide (E950-E959)	99	-	-	1	15	26	16	8	11	13	9	-	-
Homicide and legal intervention (E960-E978)	28	-	1	-	5	13	5	2	-	2	-	-	-
All other external causes (E980-E999)	3	-	1	-	-	-	1	-	1	-	-	-	-

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

Male Resident Deaths by
Selected Cause and Age
Wyoming, 1986

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All causes	1,772	53	13	6	85	94	90	92	229	425	455	230	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	1	-	-	-
Residual of infectious and parasitic diseases	18	2	-	-	-	2	-	-	1	4	4	5	-
Malignant neoplasms (140-208)	366	1	-	1	4	4	10	29	83	97	91	46	-
Digestive organs and peritoneum (150-159)	73	-	-	-	-	-	3	10	16	23	13	8	-
Respiratory and intrathoracic organs (160-165)	115	-	-	-	-	-	2	7	34	37	25	10	-
Genital organs (179-187)	54	-	-	-	-	-	-	1	3	11	28	11	-
Urinary organs (188-189)	21	-	-	-	-	-	2	2	3	4	5	5	-
Leukemia (204-208)	24	1	-	1	1	-	2	1	5	3	6	4	-
Other malignant neoplasms	79	-	-	-	3	4	1	8	22	19	14	8	-
Diabetes mellitus (250)	22	-	-	-	-	2	3	1	2	8	3	3	-
Major cardiovascular diseases (390-448)	644	2	1	-	1	5	26	27	82	195	202	103	-
Diseases of heart (390-398, 402, 404-429)	526	2	1	-	1	3	25	22	71	163	154	84	-
Rheumatic fever and rheumatic heart disease (390-398)	1	-	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402,404)	3	-	-	-	-	-	-	-	-	1	-	2	-
Ischemic heart disease (410-414)	357	-	1	-	-	2	19	20	46	118	106	45	-
Other heart disease (415-429)	165	2	-	-	1	1	6	2	25	44	47	37	-
Hypertension (401, 403)	4	-	-	-	-	-	-	1	1	2	-	-	-
Cerebrovascular disease (430-438)	74	-	-	-	-	-	1	3	5	18	31	16	-
Arteriosclerosis (440)	10	-	-	-	-	-	-	-	1	1	6	2	-
Other cardiovascular disease (441-448)	30	-	-	-	-	2	-	1	4	11	11	1	-
Pneumonia and influenza (480-487)	71	-	1	-	1	-	1	-	4	15	25	24	-
Chronic obstructive pulmonary disease (490-496)	112	-	-	-	-	-	1	-	7	41	53	10	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	1	-	-	1	-	3	1	2	-
Chronic liver disease and cirrhosis (571)	24	-	-	-	-	1	4	5	6	6	1	1	-
Nephritis and nephrosis (580-589)	11	-	-	-	-	-	-	-	1	3	5	2	-
Congenital Anomalies (740-759)	16	11	3	-	-	1	1	-	-	-	-	-	-
Certain conditions of the perinatal period (760-779)	21	21	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	36	11	1	-	1	-	-	1	1	6	9	6	-
All other diseases	156	4	1	0	3	8	6	10	21	31	44	28	-
Motor vehicle accidents (E810-E825)	94	1	4	3	40	26	8	6	2	1	3	-	-
Other accidents (E800-E807, E826-E949)	67	-	2	1	18	15	10	5	8	3	5	-	-
Suicide (E950-E959)	86	-	-	1	12	23	15	6	10	10	9	-	-
Homicide and legal intervention (E960-E978)	17	-	-	-	4	7	4	1	-	1	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	-	1	-	1	-	-	-	-

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

Female Resident Deaths by Selected Cause and Age Wyoming, 1986

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All Causes	1,445	41	13	11	28	31	35	74	145	269	386	412	-
Tuberculosis (010-018)	2	-	-	-	-	-	1	-	-	-	-	1	-
Residual of infectious and parasitic diseases	20	-	3	-	-	-	-	3	2	3	1	8	-
Malignant neoplasms (140-208)	283	-	1	-	-	3	16	25	63	79	55	41	-
Digestive organs and peritoneum (150-159)	61	-	-	-	-	-	-	4	9	19	15	14	-
Respiratory and intrathoracic organs (160-165)	55	-	-	-	-	-	-	8	14	22	10	1	-
Breast (174-175)	65	-	-	-	-	3	4	7	15	13	12	11	-
Genital organs (179-187)	21	-	-	-	-	-	2	-	6	7	3	3	-
Urinary organs (188-189)	10	-	-	-	-	-	-	2	2	2	1	3	-
Leukemia (204-208)	11	-	-	-	-	-	2	-	3	2	3	1	-
Other malignant neoplasms	60	-	1	-	-	-	8	4	14	14	11	8	-
Diabetes mellitus (250)	28	-	-	-	1	1	1	1	5	4	7	8	-
Major cardiovascular diseases (390-448)	616	1	-	-	1	2	2	14	39	106	218	233	-
Diseases of heart (390-398, 402, 404-429)	471	1	-	-	1	1	1	9	32	82	165	179	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	1	1	2	-	3	-
Hypertensive heart disease (402,404)	9	-	-	-	-	-	-	-	-	4	1	4	-
Ischemic heart disease (410-414)	264	-	-	-	-	-	-	6	15	47	102	94	-
Other heart disease (415-429)	191	1	-	-	1	1	1	2	16	29	62	78	-
Hypertension (401, 403)	8	-	-	-	-	-	-	-	-	5	1	2	-
Cerebrovascular disease (430-438)	114	-	-	-	-	1	1	5	7	12	47	41	-
Arteriosclerosis (440)	15	-	-	-	-	-	-	-	-	3	3	9	-
Other cardiovascular disease (441-448)	8	-	-	-	-	-	-	-	-	4	2	2	-
Pneumonia and influenza (480-487)	58	1	-	-	-	-	-	-	3	5	17	32	-
Chronic obstructive pulmonary disease (490-496)	64	-	-	-	-	-	2	5	10	21	21	5	-
Ulcer of stomach and duodenum (531-533)	4	-	-	-	-	-	-	-	-	1	2	1	-
Chronic liver disease and cirrhosis (571)	12	-	-	-	-	-	-	4	4	2	2	-	-
Nephritis and nephrosis (580-589)	17	-	-	-	-	-	-	1	-	2	6	8	-
Complications of pregnancy, childbirth and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	9	7	-	1	-	-	-	1	-	-	-	-	-
Certain conditions of the perinatal period (760-779)	13	13	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	53	14	-	-	-	1	-	-	2	4	9	23	-
All other diseases	157	5	1	3	0	4	2	6	13	32	44	47	-
Motor vehicle accidents (E810-E825)	56	-	3	5	21	7	6	8	1	2	-	3	-
Other accidents (E800-E807, E826-E949)	28	-	3	2	1	4	3	3	2	4	4	2	-
Suicide (E950-E959)	13	-	-	-	3	3	1	2	1	3	-	-	-
Homicide and legal intervention (E960-E978)	11	-	1	-	1	6	1	1	-	1	-	-	-
All other external causes (E980-E999)	1	-	1	-	-	-	-	-	-	-	-	-	-

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

Deaths by County of Residence
and County of Occurrence
Wyoming, 1982-1986

County	1982		1983		1984		1985		1986	
	Res	Occ	Res	Occ	Res	Occ	Res	Occ	Res	Occ
Wyoming	3,183	3,033	3,155	2,991	3,180	2,999	3,286	3,089	3,217	3,050
Albany	148	144	153	157	128	126	150	149	149	150
Big Horn	124	92	111	78	147	114	101	78	148	120
Campbell	117	92	115	105	118	96	105	90	121	118
Carbon	145	123	130	121	146	127	152	138	122	122
Converse	79	64	67	48	91	62	76	57	89	57
Crook	28	16	52	24	36	21	44	23	38	19
Fremont	277	257	235	229	252	215	280	259	255	239
Goshen	136	109	131	94	114	88	134	90	139	112
Hot Springs	71	63	61	55	62	51	53	54	60	43
Johnson	65	63	63	59	72	65	78	66	77	74
Laramie	478	554	503	571	501	555	565	591	526	553
Lincoln	82	65	76	57	83	54	93	56	93	65
Natrona	401	405	408	420	416	428	420	419	403	432
Niobrara	36	30	32	29	39	41	38	44	29	17
Park	168	160	146	143	178	164	187	172	161	174
Platte	89	70	77	53	86	63	85	74	89	71
Sheridan	238	254	247	266	238	257	236	243	218	224
Sublette	29	26	41	41	32	29	33	32	37	29
Sweetwater	227	191	212	191	180	185	190	182	201	187
Teton	36	58	49	61	35	59	54	75	47	67
Uinta	77	76	85	67	100	91	88	85	85	68
Washakie	67	56	90	73	56	49	71	59	69	54
Weston	64	50	71	46	70	55	53	37	61	46
Yellowstone NP	1	15	-	3	-	4	-	16	-	9

Accidental Deaths
Occurring in Wyoming
by Age and Sex
1986

Type of Accident	Total	Male	Female	0–4		5–14		15–24		25–44		45–64		65–74		75+	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total Accidental Deaths	271	184	87	8	6	5	5	51	22	75	21	31	16	6	10	8	7
Occupational Deaths (except motor vehicle)	11	10	1	–	–	–	–	3	–	6	1	–	–	–	–	1	–
Agriculture	2	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Mining, quarrying, oil and gas wells	3	3	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Construction	2	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Manufacturing	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Transportation and public utilities	2	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Trade	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Service	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Government	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other and unspecified industry	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Home Deaths	32	23	9	1	3	–	1	3	–	6	1	8	3	3	1	2	–
Poisonings (except gas)	9	7	2	–	–	–	–	2	–	4	1	1	–	–	1	–	–
Poisonings by gases and vapors	8	5	3	–	1	–	1	1	–	–	–	1	1	3	–	–	–
Falls	5	5	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–
Fires	2	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Drowning	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Suffocation, ingested food or object	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation, mechanical	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Firearms	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other and unspecified home accidents	6	3	3	–	2	–	–	–	–	1	–	2	1	–	–	–	–
Motor Vehicle Deaths	161	103	58	6	3	4	3	34	19	41	12	11	12	3	5	4	4
Injury to pedestrian	11	7	4	–	1	–	–	4	–	1	1	1	–	–	1	1	1
Injury to pedal cyclist	2	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Injury to rider of animal or occupant of animal drawn vehicle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Collision with railroad train	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Collision with other motor vehicle	51	30	21	3	2	1	–	6	6	14	5	3	4	1	2	2	2
Collision with fixed object	5	2	3	–	–	–	–	2	3	–	–	–	–	–	–	–	–
Noncollision	92	62	30	3	–	2	3	22	10	25	6	7	8	2	2	1	1
Other and unspecified accidents	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Public Deaths (except motor vehicle)	61	47	14	1	–	1	–	10	3	22	7	12	–	–	2	1	2
Railroad (not with motor vehicle)	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other road vehicle (not with motor vehicle)	2	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Water transportation	6	6	–	–	–	–	–	3	–	1	–	2	–	–	–	–	–
Air transportation	23	18	5	–	–	–	–	2	–	8	4	8	–	–	1	–	–
Falls	4	3	1	–	–	–	–	1	1	1	–	–	–	–	–	1	–
Fires	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	6	2	1	–	1	–	2	–	2	1	–	–	–	1	–	–
Firearms	3	1	2	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Other and unspecified public accidents	13	9	4	–	–	–	–	2	2	6	–	1	–	–	–	–	2
Type of Accident Unspecified	6	1	5	–	–	–	1	1	–	–	–	–	1	–	2	–	1

Infant Deaths by Age and County of Residence Wyoming, 1986

Residence	Infant	Neonatal	Under 7 Days	7-27 Days	28 Days - 1 Year
Wyoming	94	49	39	10	45
Albany	2	1	1	-	1
Big Horn	3	1	1	-	2
Campbell	4	3	3	-	1
Carbon	2	2	2	-	-
Converse	2	2	1	1	-
Crook	2	2	1	1	-
Fremont	11	2	2	-	9
Goshen	2	-	-	-	2
Hot Springs	1	-	-	-	1
Johnson	4	1	1	-	3
Laramie	13	7	7	-	6
Lincoln	4	2	2	-	2
Natrona	14	9	5	4	5
Niobrara	-	-	-	-	-
Park	5	2	2	-	3
Platte	1	1	1	-	-
Sheridan	5	3	3	-	2
Sublette	-	-	-	-	-
Sweetwater	9	3	2	1	6
Teton	2	2	2	-	-
Uinta	5	3	1	2	2
Washakie	1	1	1	-	-
Weston	2	2	1	1	-
Yellowstone NP	-	-	-	-	-

Infant and Neonatal Deaths
by County of Residence
Wyoming, 1982-1986

Residence	Infant						Neonatal					
	1982	1983	1984	1985	1986	Rate* 82-86	1982	1983	1984	1985	1986	Rate* 82-86
Wyoming	109	101	108	114	94	10.7	65	52	69	60	49	6.0
Albany	3	5	3	4	2	7.0	3	-	1	1	1	2.5
Big Horn	1	1	6	3	3	12.8	-	1	4	1	1	6.4
Campbell	6	4	12	8	4	8.1	4	1	9	6	3	5.5
Carbon	9	2	6	7	2	13.8	4	-	4	5	2	8.0
Converse	2	2	-	4	2	7.2	1	-	-	1	2	2.9
Crook	-	5	-	-	2	11.3	-	5	-	-	2	11.3
Fremont	20	11	9	13	11	17.1	14	5	5	6	2	8.6
Goshen	2	1	2	3	2	10.3	1	-	1	-	-	2.1
Hot Springs	-	2	1	-	1	8.8	-	2	-	-	-	4.4
Johnson	1	2	-	1	4	14.7	-	2	-	1	1	7.3
Laramie	14	14	13	20	13	10.9	9	6	8	9	7	5.7
Lincoln	4	4	2	4	4	10.7	2	2	2	2	2	5.9
Natrona	13	9	16	18	14	9.7	7	6	10	10	9	5.8
Niobrara	1	1	-	1	-	12.9	-	-	-	-	-	0.0
Park	3	1	1	5	5	6.8	2	1	-	2	2	3.2
Platte	3	-	1	-	1	6.7	3	-	-	-	1	5.4
Sheridan	7	5	6	3	5	12.3	4	2	3	3	3	7.1
Sublette	-	-	1	1	-	4.3	-	-	-	1	-	2.1
Sweetwater	7	19	13	8	9	11.7	4	11	8	7	3	6.9
Teton	1	1	3	-	2	7.4	-	1	3	-	2	6.3
Uinta	9	8	10	6	5	13.1	5	4	8	3	3	8.0
Washakie	1	-	-	2	1	4.7	1	-	-	2	1	4.7
Weston	2	4	3	3	2	17.9	1	3	3	-	2	11.5
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-

*per 1,000 live births.

Resident Infant Deaths by
Selected Cause and Age at Death
Wyoming, 1986

	Total Infant	Neonatal	Under 7 Days	7-27 Days	28 Days -1 Year
All Causes	94	49	39	10	45
Infectious and parasitic diseases (001-139)	2	-	-	-	2
Pneumonia and influenza (480-487)	1	-	-	-	1
Congenital anomalies (740-759)	18	13	12	1	5
Certain conditions originating in the perinatal period (760-779)	34	30	25	5	4
Newborn affected by maternal conditions (760)	2	2	2	-	-
Newborn affected by maternal complications of pregnancy (761)	2	2	2	-	-
Newborn affected by complications of placenta, cord and membranes (762)	2	2	2	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	3	3	3	-	-
Intrauterine hypoxia and birth asphyxia (768)	1	1	1	-	-
Respiratory distress syndrome (769)	7	7	5	2	-
Other respiratory conditions of newborn (770)	11	8	6	2	3
Infections specific to the perinatal period (771)	1	1	1	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9, 776.1-779)	5	4	3	1	1
Sudden infant death syndrome (798.0)	24	2	-	2	22
Accidents and adverse effects (E800-E949)	1	-	-	-	1
All Other Causes	14	4	2	2	10

Note: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

Stillbirths by
County of Residence
Wyoming, 1982-1986

	1982	1983	1984	1985	1986
Wyoming	92	72	73	64	59
Albany	3	4	1	1	4
Big Horn	3	4	1	1	-
Campbell	6	9	7	1	3
Carbon	3	5	5	5	2
Converse	4	-	-	4	3
Crook	1	-	1	1	1
Fremont	8	4	6	3	3
Goshen	2	3	3	-	-
Hot Springs	2	2	1	4	1
Johnson	3	2	2	1	-
Laramie	7	10	13	13	12
Lincoln	5	2	2	1	2
Natrona	12	8	10	12	13
Niobrara	-	1	1	-	-
Park	-	1	4	4	2
Platte	1	2	1	1	-
Sheridan	3	1	1	3	2
Sublette	3	3	1	-	-
Sweetwater	15	5	4	6	4
Teton	3	-	3	1	-
Uinta	5	2	4	2	7
Washakie	3	2	2	-	-
Weston	-	2	-	-	-
Yellowstone NP	-	-	-	-	-

Marriage and Divorce

MARRIAGE AND DIVORCE

The number of marriages performed in the state decreased for the fifth consecutive year in 1986. There were 5,209 marriages performed, down from 5,385 in 1985, and 7,057 in 1981. The rate of marriages per 1,000 total population decreased from 10.7 in 1985 to 10.6 in 1986. The state's 1986 rate was only 6% above the U.S. rate, while the rate for 1981 was 35% above the U.S.

Of those couples for whom previous marital status was known, 44.5% were entering their first marriage. The median age at first marriage was 21.7 for brides and 24.2 for grooms. Median ages at remarriage were 32.1 for brides and 35.6 for grooms.

Both bride and groom were state residents in 80.3% of the marriages taking place in the state. Neither were Wyoming residents in 13.9%.

There were 3,536 divorces and annulments granted in Wyoming in 1986, down from 3,807 in 1985. The divorce rate also decreased from 7.5 to 7.2 divorces per thousand population. This rate was substantially lower than the record high for the state of 8.5 in 1981. It was however, 50% higher than the provisional U.S. rate for the year.

The median duration of marriages ending in divorce in the state was 5.4 years, up from 5.1 in 1985. Marriages lasting less than 5 years accounted for 46.7% of the divorces. Those lasting between 5 and 10 years accounted for 26.4% and those lasting ten years or more, 26.9%.

While the number of divorces decreased by 7.1%, the number of children involved in divorce decreased by only 2.5% from 3,846 in 1985 to 3,751 in 1986.

Marriages and Rates
by County of Occurrence
Wyoming, 1982-1986

Occurrence	1982		1983		1984		1985		1986	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	10.6	--	10.5	--	10.5	--	10.2	--	10.0
Wyoming	6,799	13.7	6,201	12.4	5,783	11.5	5,385	10.7	5,209	10.6
Albany	334	11.1	304	9.9	293	9.5	241	7.8	283	9.2
Big Horn	133	10.5	101	8.2	88	7.3	79	6.7	76	6.7
Campbell	382	12.0	346	11.0	344	10.7	305	8.9	290	9.4
Carbon	294	14.1	242	12.0	180	9.1	173	9.3	176	9.9
Converse	207	15.3	168	13.0	181	13.8	172	12.9	134	10.4
Crook	72	12.9	58	10.2	50	8.7	40	6.8	59	10.0
Fremont	428	10.8	399	9.9	383	9.6	376	10.0	390	10.8
Goshen	205	16.8	250	20.0	227	17.8	173	13.2	156	11.8
Hot Springs	70	12.1	63	10.6	77	12.7	71	11.6	41	6.9
Johnson	109	15.7	86	12.3	79	11.2	73	10.3	66	9.8
Laramie	1,075	15.3	1,040	14.7	1,008	14.2	939	13.2	920	12.8
Lincoln	133	10.1	125	9.2	88	6.0	83	4.7	104	5.7
Natrona	1,009	13.4	856	11.4	801	10.7	717	9.9	696	10.4
Niobrara	42	13.1	33	9.9	31	9.2	21	6.3	20	6.2
Park	387	16.8	391	16.7	350	14.6	317	13.3	276	11.9
Platte	130	13.1	108	10.8	100	10.0	88	8.9	92	9.4
Sheridan	382	14.6	401	14.7	343	12.5	332	12.6	265	10.5
Sublette	67	13.5	58	11.5	60	11.8	77	10.9	84	11.6
Sweetwater	495	11.0	388	9.2	342	8.4	378	8.6	329	7.4
Teton	428	43.6	413	40.0	389	37.3	390	36.1	408	36.7
Uinta	190	9.8	153	7.5	168	8.0	169	7.8	180	8.3
Washakie	122	12.5	113	11.2	125	12.1	87	8.3	84	8.2
Weston	87	11.3	91	11.7	65	8.2	72	9.4	62	8.4
Yellowstone NP	18	--	14	--	11	--	12	--	18	--

Marriages by Month
and County of Occurrence
Wyoming, 1986

Occurrence	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
Wyoming	5,209	259	343	318	313	490	671	530	736	430	328	367	424
Albany	283	15	20	19	18	29	36	26	56	18	15	11	20
Big Horn	76	5	6	6	6	9	9	2	9	10	3	8	3
Campbell	290	14	30	18	16	25	36	31	34	20	24	21	21
Carbon	176	4	14	4	12	19	21	20	30	14	9	12	17
Converse	134	7	10	9	11	7	16	10	16	12	9	9	18
Crook	59	4	2	5	5	7	6	9	8	3	4	3	3
Fremont	390	23	22	28	32	37	57	35	43	33	24	29	27
Goshen	156	6	13	17	11	15	17	22	14	10	5	16	10
Hot Springs	41	1	1	5	2	4	8	3	8	1	3	4	1
Johnson	66	1	5	4	3	7	11	7	10	3	7	6	2
Laramie	920	52	65	60	55	88	100	88	121	78	73	58	82
Lincoln	104	6	6	6	8	8	15	8	19	6	7	11	4
Natrona	696	30	38	37	42	71	100	72	100	54	36	45	71
Niobrara	20	2	2	-	-	1	2	3	3	2	1	1	3
Park	276	13	16	18	10	25	36	24	51	22	15	16	30
Platte	92	6	8	5	4	9	13	10	9	8	5	8	7
Sheridan	265	9	19	14	14	24	36	30	33	22	16	25	23
Sublette	84	5	3	2	2	11	8	12	14	13	7	3	4
Sweetwater	329	22	24	16	22	33	44	34	42	21	20	26	25
Teton	408	15	20	27	23	28	57	54	63	53	23	27	18
Uinta	180	11	13	13	12	17	14	12	21	16	15	17	19
Washakie	84	4	4	3	3	8	14	11	12	5	4	6	10
Weston	62	3	2	2	2	8	11	3	13	4	3	5	6
Yellowstone NP	18	1	-	-	-	-	4	4	7	2	-	-	-

Marriages by Age of Groom
and Age of Bride
Wyoming Occurrence, 1986

Age of Groom	Total	Age of Bride												
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70+
Total	5,209	1	896	1,637	1,059	665	381	243	142	72	44	30	24	15
Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	312	-	244	62	3	3	-	-	-	-	-	-	-	-
20-24	1,575	1	527	831	164	36	13	1	2	-	-	-	-	-
25-29	1,253	-	97	524	416	169	34	12	1	-	-	-	-	-
30-34	814	-	18	153	309	224	82	23	4	1	-	-	-	-
35-39	455	-	8	45	120	132	97	42	6	5	-	-	-	-
40-44	278	-	2	13	26	61	89	57	22	6	1	1	-	-
45-49	186	-	-	6	12	19	35	57	40	13	3	-	1	-
50-54	126	-	-	2	6	15	19	29	29	18	5	2	1	-
55-59	83	-	-	1	3	5	7	14	22	8	16	5	1	1
60-64	60	-	-	-	-	-	3	6	11	14	12	8	5	1
65-69	33	-	-	-	-	1	1	-	4	5	6	7	3	6
70+	34	-	-	-	-	-	1	2	1	2	1	7	13	7

Marriages by Age and Previous Marital
Status of Bride and Groom
Wyoming Occurrence, 1986

Age	Bride					Groom				
	Total	Previous Marital Status				Total	Previous Marital Status			
		Single	Widowed	Divorced	Not Stated		Single	Widowed	Divorced	Not Stated
Total	5,209	2,840	154	2,152	63	5,209	3,022	123	2,007	57
Under 15	1	1	-	-	-	-	-	-	-	-
15-19	896	873	-	14	9	312	307	-	1	4
20-24	1,637	1,264	7	350	16	1,575	1,433	1	129	12
25-29	1,059	485	7	554	13	1,253	832	2	410	9
30-34	665	163	8	482	12	814	322	8	472	12
35-39	381	38	22	319	2	455	85	8	356	6
40-44	243	7	16	218	2	278	20	6	250	2
45-49	142	5	15	117	5	186	12	9	161	4
50-54	72	2	18	50	2	126	6	18	101	1
55-59	44	2	19	23	-	83	3	12	67	1
60-64	30	-	12	16	2	60	-	21	36	3
65-69	24	-	17	7	-	33	2	15	14	2
70+	15	-	13	2	-	34	-	23	10	1

Divorces and Annulments with Rates
by County of Occurrence
Wyoming, 1982-1986

Occurrence	1982		1983		1984		1985		1986	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	5.0	--	4.9	--	5.0	--	5.0	--	4.8
Wyoming	3,961	8.0	3,978	8.0	3,704	7.4	3,807	7.5	3,536	7.2
Albany	186	6.2	190	6.2	172	5.6	178	5.8	193	6.3
Big Horn	63	5.0	69	5.6	60	5.0	41	3.5	53	4.7
Campbell	270	8.5	261	8.3	299	9.3	279	8.2	239	7.7
Carbon	189	9.0	190	9.4	135	6.8	182	9.8	126	7.1
Converse	97	7.2	110	8.5	101	7.7	126	9.5	81	6.3
Crook	20	3.6	15	2.6	30	5.2	26	4.5	26	4.4
Fremont	284	7.2	290	7.2	254	6.4	302	8.1	252	7.0
Goshen	68	5.6	78	6.2	61	4.8	66	5.0	77	5.8
Hot Springs	27	4.7	54	9.1	44	7.2	41	6.7	46	7.7
Johnson	33	4.7	63	9.0	48	6.8	32	4.5	39	5.8
Laramie	653	9.3	689	9.7	668	9.4	589	8.3	603	8.4
Lincoln	91	6.9	86	6.4	54	3.7	89	5.0	86	4.7
Natrona	845	11.2	772	10.3	698	9.3	691	9.5	656	9.8
Niobrara	22	6.8	8	2.4	23	6.9	21	6.3	12	3.7
Park	153	6.6	144	6.1	128	5.3	161	6.7	114	4.9
Platte	78	7.9	68	6.8	53	5.3	71	7.2	56	5.7
Sheridan	187	7.2	205	7.5	196	7.1	200	7.6	165	6.5
Sublette	30	6.0	16	3.2	32	6.3	26	3.7	34	4.7
Sweetwater	329	7.3	312	7.4	268	6.6	326	7.5	308	6.9
Teton	86	8.8	68	6.6	85	8.2	75	6.9	76	6.8
Uinta	137	7.1	161	7.9	186	8.8	178	8.2	190	8.8
Washakie	62	6.3	76	7.5	61	5.9	73	7.0	59	5.8
Weston	51	6.6	53	6.8	48	6.1	34	4.4	45	6.1

Divorces and Annulments by Duration of Marriage and County of Occurrence
Wyoming, 1986

Occurrence	Total	Duration in Years											
		Under 1	1	2	3	4	5-9	10-14	15-19	20-24	25-29	30 & Over	Not Stated
Wyoming	3,536	243	365	379	340	319	930	465	250	116	68	47	14
Albany	193	15	13	17	24	26	45	22	14	7	4	6	-
Big Horn	53	1	6	7	6	5	17	6	4	-	1	-	-
Campbell	239	10	30	22	30	21	69	43	11	1	2	-	-
Carbon	126	13	14	17	10	12	29	15	7	6	-	3	-
Converse	81	6	5	3	7	10	18	18	6	4	-	4	-
Crook	26	-	1	3	2	3	9	1	5	1	1	-	-
Fremont	252	16	22	28	19	18	69	33	25	9	7	5	1
Goshen	77	4	9	11	8	7	14	11	7	3	2	1	-
Hot Springs	46	2	5	5	5	3	11	14	1	-	-	-	-
Johnson	39	3	5	4	3	3	13	1	3	-	2	2	-
Laramie	603	54	82	71	65	53	125	66	40	18	17	8	4
Lincoln	86	7	6	7	8	9	26	16	3	1	2	1	-
Natrona	656	50	54	79	69	60	190	71	42	18	10	6	7
Niobrara	12	-	-	2	3	1	3	2	1	-	-	-	-
Park	114	8	14	12	7	13	32	10	8	3	2	5	-
Platte	56	4	6	6	6	2	10	12	3	5	1	1	-
Sheridan	165	10	25	18	8	16	35	25	13	10	4	1	-
Sublette	34	-	-	2	4	4	9	7	5	2	-	1	-
Sweetwater	308	23	34	24	26	25	97	42	22	10	4	1	-
Teton	76	6	7	5	3	6	21	11	12	3	2	-	-
Uinta	190	8	17	21	18	17	59	26	11	7	4	-	2
Washakie	59	3	5	10	6	2	16	7	2	5	2	1	-
Weston	45	-	5	5	3	3	13	6	5	3	1	1	-

Divorces and Annulments by Number of Children Affected and County of Occurrence
Wyoming, 1986

Occurrence	Total	Number of Children*						
		None	One	Two	Three	Four	Five & Over	Not Stated
Wyoming	3,536	1,411	884	820	265	76	24	56
Albany	193	88	42	44	14	3	1	1
Big Horn	53	20	15	13	1	1	2	1
Campbell	239	95	55	63	17	6	1	2
Carbon	126	52	32	27	10	4	-	1
Converse	81	28	20	25	5	2	1	-
Crook	26	9	5	7	4	1	-	-
Fremont	252	85	72	58	23	6	2	6
Goshen	77	28	23	18	4	4	-	-
Hot Springs	46	15	14	12	4	1	-	-
Johnson	39	12	17	5	4	1	-	-
Laramie	603	285	159	114	30	9	1	5
Lincoln	86	28	22	23	8	2	3	-
Natrona	656	259	165	160	53	12	4	3
Niobrara	12	4	5	1	1	-	-	1
Park	114	56	31	16	6	3	2	-
Platte	56	10	13	9	3	1	-	20
Sheridan	165	76	29	40	15	4	-	1
Sublette	34	8	8	7	6	1	1	3
Sweetwater	308	120	72	81	23	8	1	3
Teton	76	37	18	18	2	1	-	-
Uinta	190	58	49	46	21	5	4	7
Washakie	59	21	12	16	8	1	1	-
Weston	45	17	6	17	3	-	-	2

*Children under 18 in the family.